Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2007 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://cedb.asce.org/*.

Adsorption

Irrigation Water Resource Management for Sustainable Agriculture—The Ankobra Basin, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 133 (6), 609-15 (2007).

Aggregates

Screening of Soil Amendments for Efficient Water-Holding Capacity Based on a Rainfall-Infiltration Model in a Vertisol — M. Rajeswari, G. R. Maruthi Sankar, M. V. Ranghaswami, and P. K. Mishra; 133 (5), 468-74 (2007).

Agricultural watersheds

Deciding Alternative Land Use Options in a Watershed Using GIS — Anita K. Prakash, I. V. Muralikrishna, P. K. Mishra, and R. V. R. K. Chalam; 133 (2), 162-74 (2007).

Load Modeling Approach for Evaluating Selenium Stream Standards Compliance — R. Blair Hanna and Jim C. Loftis; 133 (3), 232-41 (2007).

Agriculture

Operational Cost Benefits Study of Flexible On-Farm Irrigation Supply Systems — John L. Merriam and Beau J. Freeman; 133 (1), 12-6 (2007).

Hydrology and Nitrogen Components of a Simple Rye Growth Model — Gary W. Feyereisen, Gary R. Sands, Jeffrey S. Strock, Bruce N. Wilson, and Paul M. Porter; 133 (2), 90-9 (2007).

Air temperature

Crop Coefficients for Microsprinkler-Irrigated, Clean-Cultivated, Mature Citrus in an Arid Climate — R. L. Snyder and N. V. O'Connell; 133 (1), 43-52 (2007).

Algorithms

Groundwater Flow and Contaminant Transport Simulation with Imprecise Parameters — Ram Kailash Prasad and Shashi Mathur; 133 (1), 61-70 (2007).

Alluvial streams

Stream Bank Erosion: In Situ Flume Tests — K. Debnath, V. Nikora, and A. Elliott; 133 (3), 256-64 (2007).

Analytical techniques

Analytical Relationships for Designing Multiple Outlets Pipelines — Gürol Yıldırım; 133 (2), 140-54 (2007).

Semianalytical Model for Drawdown due to Pumping a Partially Penetrating Large Diameter Well — Sushil K. Singh; 133 (2), 155-61 (2007).

Explicit Infiltration Function for Furrows — A. W. Warrick, N. Lazarovitch, A. Furman, and D. Zerihun; 133 (4), 307-13 (2007).

Anisotropy

Theory of Seepage into an Auger Hole in a Confined Aquifer Overlying a Gravel Substratum — Gautam Barua and Marc R. Hoffmann; 133 (4), 330-41 (2007).

Approximation

Approximation of Well Function for Large Diameter Wells — Sushil K. Singh; 133 (4), 414-6 (2007).

Aquifers

Modeling Laboratory Observations on Stream-Aquifer Interaction — Sushil K. Singh; 133 (1), 79-82 (2007).

Simulation of Processes Involved in Soil Salinization to Guide Soil Remediation — K. Guganesharajah, J. F. Pavey, J. van Wonderen, G. M. Khasankhanova, D. J. Lyons, and B. J. Lloyd; 133 (2), 131-9 (2007).

New Methods for Aquifer Parameters from Slug Test Data — Sushil K. Singh; 133 (3), 272-5 (2007).

Simple Equations for Aquifer Parameters from Drawdowns in Large-Diameter Wells — Sushil K. Singh; 133 (3), 279-81 (2007).

Simple Approximation of Well Function for Constant Drawdown Variable Discharge Artesian Wells — Sushil K. Singh; 133 (3), 282-5 (2007).

Estimating Storage Coefficient and Transmissivity from Slug Test Data — Prabhata K. Swamee and Sushil K. Singh; 133 (5), 505-7 (2007).

Arid lands

Crop Coefficients for Microsprinkler-Irrigated, Clean-Cultivated, Mature Citrus in an Arid Climate — R. L. Snyder and N. V. O'Connell; 133 (1), 43-52 (2007).

Asia

Simulation of Processes Involved in Soil Salinization to Guide Soil Remediation — K. Guganesharajah, J. F. Pavey, J. van Wonderen, G. M. Khasankhanova, D. J. Lyons, and B. J. Lloyd; 133 (2), 131-9 (2007).

Auger hole

Theory of Seepage into an Auger Hole in a Confined Aquifer Overlying a Gravel Substratum — Gautam Barua and Marc R. Hoffmann; 133 (4), 330-41 (2007).

Australia

Simulation of Processes Involved in Soil Salinization to Guide Soil Remediation — K. Guganesharajah, J. F. Pavey, J. van Wonderen, G. M. Khasankhanova, D. J. Lyons, and B. J. Lloyd; 133 (2), 131-9 (2007).

Quantifying Rainfall and Flooding Impacts on Groundwater Levels in Irrigation Areas: GIS Approach — Shahbaz Khan, Aftab Ahmad, and Butian Wang; 133 (4), 359-67 (2007).

Automation

Automatic Tuning of PI Controllers for an Irrigation Canal Pool — X. Litrico, P.-O. Malaterre, J.-P. Baume, P.-Y. Vion, and J. Ribot-Bruno; 133 (1), 27-37 (2007).

Bank erosion

Stream Bank Erosion: In Situ Flume Tests — K. Debnath, V. Nikora, and A. Elliott; 133 (3), 256-64 (2007).

Bed load

Stream Bank Erosion: In Situ Flume Tests — K. Debnath, V. Nikora, and A. Elliott; 133 (3), 256-64 (2007).

Best Management Practice

Field Survey of Permeable Pavement Surface Infiltration Rates — Eban Z. Bean, William F. Hunt, and David A. Bidelspach; 133 (3), 249-55 (2007).

Evaluation of Four Permeable Pavement Sites in Eastern North Carolina for Runoff Reduction and Water Quality Impacts — Eban Zachary Bean, William Frederick Hunt, and David Alan Bidelspach; 133 (6), 583-92 (2007).

Temperature Effects on the Infiltration Rate through an Infiltration Basin BMP — Andrea Braga, Michael Horst, and Robert G. Traver; 133 (6), 593-601 (2007).

Calibration

Hargreaves versus Penman-Monteith under Humid Conditions — Slavisa Trajkovic; 133 (1), 38-42 (2007).

ANSWAPPS: Model for the Analysis of Grass Swale-Perforated Pipe Systems — Habib Abida, Jean Francois Sabourin, and Manel Ellouze; 133 (3), 211-21 (2007).

Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Model — Richard G. Allen, Masahiro Tasumi, and Ricardo Trezza; 133 (4), 380-94 (2007).

Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications — Richard G. Allen, Masahiro Tasumi, Anthony Morse, Ricardo Trezza, James L. Wright, Wim Bastiaanssen, William Kramber, Ignacio Lorite, and Clarence W. Robison; 133 (4), 395-406 (2007).

California

Adaptive Neurofuzzy Computing Technique for Evapotranspiration Estimation — Özgür Kişi and Özgür Öztürk; 133 (4), 368-79 (2007).

Canals

Automatic Tuning of PI Controllers for an Irrigation Canal Pool — X. Litrico, P.-O. Malaterre,

Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2007 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://cedb.asce.org/*.

Adsorption

Irrigation Water Resource Management for Sustainable Agriculture—The Ankobra Basin, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 133 (6), 609-15 (2007).

Aggregates

Screening of Soil Amendments for Efficient Water-Holding Capacity Based on a Rainfall-Infiltration Model in a Vertisol — M. Rajeswari, G. R. Maruthi Sankar, M. V. Ranghaswami, and P. K. Mishra; 133 (5), 468-74 (2007).

Agricultural watersheds

Deciding Alternative Land Use Options in a Watershed Using GIS — Anita K. Prakash, I. V. Muralikrishna, P. K. Mishra, and R. V. R. K. Chalam; 133 (2), 162-74 (2007).

Load Modeling Approach for Evaluating Selenium Stream Standards Compliance — R. Blair Hanna and Jim C. Loftis; 133 (3), 232-41 (2007).

Agriculture

Operational Cost Benefits Study of Flexible On-Farm Irrigation Supply Systems — John L. Merriam and Beau J. Freeman; 133 (1), 12-6 (2007).

Hydrology and Nitrogen Components of a Simple Rye Growth Model — Gary W. Feyereisen, Gary R. Sands, Jeffrey S. Strock, Bruce N. Wilson, and Paul M. Porter; 133 (2), 90-9 (2007).

Air temperature

Crop Coefficients for Microsprinkler-Irrigated, Clean-Cultivated, Mature Citrus in an Arid Climate — R. L. Snyder and N. V. O'Connell; 133 (1), 43-52 (2007).

Algorithms

Groundwater Flow and Contaminant Transport Simulation with Imprecise Parameters — Ram Kailash Prasad and Shashi Mathur; 133 (1), 61-70 (2007).

Alluvial streams

Stream Bank Erosion: In Situ Flume Tests — K. Debnath, V. Nikora, and A. Elliott; 133 (3), 256-64 (2007).

Analytical techniques

Analytical Relationships for Designing Multiple Outlets Pipelines — Gürol Yıldırım; 133 (2), 140-54 (2007).

Semianalytical Model for Drawdown due to Pumping a Partially Penetrating Large Diameter Well — Sushil K. Singh; 133 (2), 155-61 (2007).

Explicit Infiltration Function for Furrows — A. W. Warrick, N. Lazarovitch, A. Furman, and D. Zerihun; 133 (4), 307-13 (2007).

Anisotropy

Theory of Seepage into an Auger Hole in a Confined Aquifer Overlying a Gravel Substratum — Gautam Barua and Marc R. Hoffmann; 133 (4), 330-41 (2007).

Approximation

Approximation of Well Function for Large Diameter Wells — Sushil K. Singh; 133 (4), 414-6 (2007).

Aquifers

Modeling Laboratory Observations on Stream-Aquifer Interaction — Sushil K. Singh; 133 (1), 79-82 (2007).

Simulation of Processes Involved in Soil Salinization to Guide Soil Remediation — K. Guganesharajah, J. F. Pavey, J. van Wonderen, G. M. Khasankhanova, D. J. Lyons, and B. J. Lloyd; 133 (2), 131-9 (2007).

New Methods for Aquifer Parameters from Slug Test Data — Sushil K. Singh; 133 (3), 272-5 (2007).

Simple Equations for Aquifer Parameters from Drawdowns in Large-Diameter Wells — Sushil K. Singh; 133 (3), 279-81 (2007).

Simple Approximation of Well Function for Constant Drawdown Variable Discharge Artesian Wells — Sushil K. Singh; 133 (3), 282-5 (2007).

Estimating Storage Coefficient and Transmissivity from Slug Test Data — Prabhata K. Swamee and Sushil K. Singh; 133 (5), 505-7 (2007).

Arid lands

Crop Coefficients for Microsprinkler-Irrigated, Clean-Cultivated, Mature Citrus in an Arid Climate — R. L. Snyder and N. V. O'Connell; 133 (1), 43-52 (2007).

Asia

Simulation of Processes Involved in Soil Salinization to Guide Soil Remediation — K. Guganesharajah, J. F. Pavey, J. van Wonderen, G. M. Khasankhanova, D. J. Lyons, and B. J. Lloyd; 133 (2), 131-9 (2007).

Auger hole

Theory of Seepage into an Auger Hole in a Confined Aquifer Overlying a Gravel Substratum — Gautam Barua and Marc R. Hoffmann; 133 (4), 330-41 (2007).

Australia

Simulation of Processes Involved in Soil Salinization to Guide Soil Remediation — K. Guganesharajah, J. F. Pavey, J. van Wonderen, G. M. Khasankhanova, D. J. Lyons, and B. J. Lloyd; 133 (2), 131-9 (2007).

Quantifying Rainfall and Flooding Impacts on Groundwater Levels in Irrigation Areas: GIS Approach — Shahbaz Khan, Aftab Ahmad, and Butian Wang; 133 (4), 359-67 (2007).

Automation

Automatic Tuning of PI Controllers for an Irrigation Canal Pool — X. Litrico, P.-O. Malaterre, J.-P. Baume, P.-Y. Vion, and J. Ribot-Bruno; 133 (1), 27-37 (2007).

Bank erosion

Stream Bank Erosion: In Situ Flume Tests — K. Debnath, V. Nikora, and A. Elliott; 133 (3), 256-64 (2007).

Bed load

Stream Bank Erosion: In Situ Flume Tests — K. Debnath, V. Nikora, and A. Elliott; 133 (3), 256-64 (2007).

Best Management Practice

Field Survey of Permeable Pavement Surface Infiltration Rates — Eban Z. Bean, William F. Hunt, and David A. Bidelspach; 133 (3), 249-55 (2007).

Evaluation of Four Permeable Pavement Sites in Eastern North Carolina for Runoff Reduction and Water Quality Impacts — Eban Zachary Bean, William Frederick Hunt, and David Alan Bidelspach; 133 (6), 583-92 (2007).

Temperature Effects on the Infiltration Rate through an Infiltration Basin BMP — Andrea Braga, Michael Horst, and Robert G. Traver; 133 (6), 593-601 (2007).

Calibration

Hargreaves versus Penman-Monteith under Humid Conditions — Slavisa Trajkovic; 133 (1), 38-42 (2007).

ANSWAPPS: Model for the Analysis of Grass Swale-Perforated Pipe Systems — Habib Abida, Jean Francois Sabourin, and Manel Ellouze; 133 (3), 211-21 (2007).

Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Model — Richard G. Allen, Masahiro Tasumi, and Ricardo Trezza; 133 (4), 380-94 (2007).

Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications — Richard G. Allen, Masahiro Tasumi, Anthony Morse, Ricardo Trezza, James L. Wright, Wim Bastiaanssen, William Kramber, Ignacio Lorite, and Clarence W. Robison; 133 (4), 395-406 (2007).

California

Adaptive Neurofuzzy Computing Technique for Evapotranspiration Estimation — Özgür Kişi and Özgür Öztürk; 133 (4), 368-79 (2007).

Canals

Automatic Tuning of PI Controllers for an Irrigation Canal Pool — X. Litrico, P.-O. Malaterre,

J.-P. Baume, P.-Y. Vion, and J. Ribot-Bruno; 133 (1), 27-37 (2007).

Catchments

Modifications to SCS-CN Method for Long-Term Hydrologic Simulation — K. Geetha, S. K. Mishra, T. I. Eldho, A. K. Rastogi, and R. P. Pandey; 133 (5), 475-86 (2007).

Cements

Development of Experimental Test Setup to Evaluate Abrasion Characteristics of Drainage Pipes — Yeol Choi, Ali Abolmaali, Jiwon Jung, and Jong-Su Yoo; 133 (3), 206-10 (2007).

Citrus

Growth, Evapotranspiration, and Nitrogen Leaching from Young Lysimeter-Grown Orange Trees — Brian J. Boman and Anwar M. Battikhi; 133 (4), 350-8 (2007).

Classification description

Estimating Daily Net Radiation over Vegetation Canopy through Remote Sensing and Climatic Data — Zohrab Samani, A. Salim Bawazir, Max Bleiweiss, Rhonda Skaggs, and Vien D. Tran; 133 (4), 291-7 (2007).

Optimizing Aquifer Parameters from Drawdowns in Large Diameter Wells — Sushil K. Singh; 133 (4), 411-3 (2007).

Approximation of Well Function for Large Diameter Wells — Sushil K. Singh; 133 (4), 414-6 (2007).

Climatic data

Estimating Evapotranspiration Using Artificial Neural Network and Minimum Climatological Data — S. S. Zanetti, E. F. Sousa, V. P. S. Oliveira, F. T. Almeida, and S. Bernardo; 133 (2), 83-9 (2007).

Developing Regression Models for Predicting Pan Evaporation from Climatic Data—A Comparison of Multiple Least-Squares, Principal Components, and Partial Least-Squares Approaches — Gicy M. Kovoor and Lakshman Nandagiri; 133 (5), 444-54 (2007).

Coefficients

New Methods for Aquifer Parameters from Slug Test Data — Sushil K. Singh; 133 (3), 272-5 (2007).

Simple Equations for Aquifer Parameters from Drawdowns in Large-Diameter Wells — Sushil K. Singh; 133 (3), 279-81 (2007).

Simple Approximation of Well Function for Constant Drawdown Variable Discharge Artesian Wells — Sushil K. Singh; 133 (3), 282-5 (2007).

Cohesive sediments

Stream Bank Erosion: In Situ Flume Tests — K. Debnath, V. Nikora, and A. Elliott; 133 (3), 256-64 (2007).

Colorado

Load Modeling Approach for Evaluating Selenium Stream Standards Compliance — R. Blair Hanna and Jim C. Loftis; 133 (3), 232-41 (2007).

Computation

Adaptive Neurofuzzy Computing Technique for Evapotranspiration Estimation — Özgür Kişi and Özgür Öztürk; 133 (4), 368-79 (2007).

Computational fluid dynamics technique

New Computational Fluid Dynamic Procedure to Estimate Friction and Local Losses in Coextruded Drip Laterals — Giuseppe Provenzano, Pietro Di Dio, and Guillermo Palau Salvador; 133 (6), 520-7 (2007).

Computer models

Hydrology and Nitrogen Components of a Simple Rye Growth Model — Gary W. Feyereisen, Gary R. Sands, Jeffrey S. Strock, Bruce N. Wilson, and Paul M. Porter; 133 (2), 90-9 (2007).

ANSWAPPS: Model for the Analysis of Grass Swale-Perforated Pipe Systems — Habib Abida, Jean Francois Sabourin, and Manel Ellouze; 133 (3), 211-21 (2007).

Computer programming

Minimum Cost Irrigation Network Design Using Interactive Fuzzy Integer Programming — M. Spiliotis and G. Tsakiris; 133 (3), 242-8 (2007).

Concrete pavements

Evaluation of Four Permeable Pavement Sites in Eastern North Carolina for Runoff Reduction and Water Quality Impacts — Eban Zachary Bean, William Frederick Hunt, and David Alan Bidelspach; 133 (6), 583-92 (2007).

Concrete pipes

Development of Experimental Test Setup to Evaluate Abrasion Characteristics of Drainage Pipes — Yeol Choi, Ali Abolmaali, Jiwon Jung, and Jong-Su Yoo; 133 (3), 206-10 (2007).

Concrete, reinforced

Development of Experimental Test Setup to Evaluate Abrasion Characteristics of Drainage Pipes — Yeol Choi, Ali Abolmaali, Jiwon Jung, and Jong-Su Yoo; 133 (3), 206-10 (2007).

Confined aquifer

Theory of Seepage into an Auger Hole in a Confined Aquifer Overlying a Gravel Substratum — Gautam Barua and Marc R. Hoffmann; 133 (4), 330-41 (2007).

Contaminants

Groundwater Flow and Contaminant Transport Simulation with Imprecise Parameters — Ram Kailash Prasad and Shashi Mathur; 133 (1), 61-70 (2007).

Correlation

Developing Regression Models for Predicting Pan Evaporation from Climatic Data—A Comparison of Multiple Least-Squares, Principal Components, and Partial Least-Squares Approaches — Gicy M. Kovoor and Lakshman Nandagiri; 133 (5), 444-54 (2007).

Cost control

Operational Cost Benefits Study of Flexible On-Farm Irrigation Supply Systems — John L. Merriam and Beau J. Freeman; 133 (1), 12-6 (2007).

Cost effective

Optimal Design of a Stable Trapezoidal Channel Section Using Hybrid Optimization Techniques — Rajib Kumar Bhattacharjya and Mysore G. Satish; 133 (4), 323-9 (2007).

Coupling

Physically Based Coupled Model for Simulating 1D Surface–2D Subsurface Flow and Plant Water Uptake in Irrigation Furrows. I: Model Development — Th. Wöhling and G. H. Schmitz; 133 (6), 538-47 (2007).

Physically Based Coupled Model for Simulating 1D Surface–2D Subsurface Flow and Plant Water Uptake in Irrigation Furrows. II: Model Test and Evaluation — Th. Wöhling and J. C. Mailhol; 133 (6), 548-58 (2007).

Crops

Crop Coefficients for Microsprinkler-Irrigated, Clean-Cultivated, Mature Citrus in an Arid Climate — R. L. Snyder and N. V. O'Connell; 133 (1), 43-52 (2007).

Hydrology and Nitrogen Components of a Simple Rye Growth Model — Gary W. Feyereisen, Gary R. Sands, Jeffrey S. Strock, Bruce N. Wilson, and Paul M. Porter; 133 (2), 90-9 (2007).

Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications — Richard G. Allen, Masahiro Tasumi, Anthony Morse, Ricardo Trezza, James L. Wright, Wim Bastiaanssen, William Kramber, Ignacio Lorite, and Clarence W. Robison; 133 (4), 395-406 (2007).

Development and Evaluation of Soil Moisture-Based Seepage Irrigation Management for Water Use and Quality — C. Pandey, S. Shukla, and T. A. Obreza; 133 (5), 435-43 (2007).

Cross sections

Solution of Specific Energy and Specific Force Equations — Amlan Das; 133 (4), 407-10 (2007).

Dam foundations

Seepage Modeling Assisted Optimal Design of a Homogeneous Earth Dam: Procedure Evolution — Ihssan A. Abdul Hussain, Deepak Kashyap, and K. S. Hari Prasad; 133 (2), 116-30 (2007).

Dams, earth

Seepage Modeling Assisted Optimal Design of a Homogeneous Earth Dam: Procedure Evolution — Ihssan A. Abdul Hussain, Deepak Kashyap, and K. S. Hari Prasad; 133 (2), 116-30 (2007).

Data analysis

Model to Forecast Maximum Flows in On-Demand Irrigation Distribution Networks — J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 133 (3), 222-31 (2007).

Decision support systems

Analysis of Spatial Scenarios Aiding Decision Making for Regional Irrigation Water-Demand Planning — Tzai-Hung Wen, Chun-Hung Lin, Ching-Tien Chen, and Ming-Daw Su; 133 (5), 455-67 (2007).

Design

Optimal Design of Channel Having Horizontal Bottom and Parabolic Sides — Amlan Das; 133 (2), 192-7 (2007).

Diffusivity

Modeling Laboratory Observations on Stream-Aquifer Interaction — Sushil K. Singh; 133 (1), 79-82 (2007).

Dimensional analysis

Simple Flume for Flow Measurement in Sloping Open Channel — Giorgio Baiamonte and Vito Ferro; 133 (1), 71-8 (2007).

Discharge measurement

Multislit Weir Characteristics — A. S. Ramamurthy, Junying Qu, Chao Zhai, and Diep Vo; 133 (2), 198-200 (2007).

Discharge Relation for Cutthroat Flume under Free-Flow Condition — Vivek L. Manekar, Prakash D. Porey, and Ramesh N. Ingle; 133 (5), 495-9 (2007).

Drainage
Simultaneous Prediction of Saturated Hydraulic Conductivity and Drainable Porosity Using the Inverse Problem Technique — Jamal M. V. Samani, Parviz Fathi, and Mehdi Homaee; 133 (2), 110-5 (2007).

Seepage Modeling Assisted Optimal Design of a Homogeneous Earth Dam: Procedure Evolution — Ihssan A. Abdul Hussain, Deepak Kashyap, and K. S. Hari Prasad; 133 (2), 116-30 (2007).

Simulation of Processes Involved in Soil Salinization to Guide Soil Remediation — K. Guganesharajah, J. F. Pavey, J. van Wonderen, G. M. Khasankhanova, D. J. Lyons, and B. J. Lloyd; 133 (2), 131-9 (2007).

Draining
Development of Experimental Test Setup to Evaluate Abrasion Characteristics of Drainage Pipes — Yeol Choi, Ali Abolmaali, Jiwon Jung, and Jong-Su Yoo; 133 (3), 206-10 (2007).

Drains
Water Table Fluctuation between Drains in the Presence of Exponential Recharge and Depth-Dependent Evapotranspiration — R. M. Singh, K. K. Singh, and S. R. Singh; 133 (2), 183-7 (2007).

Drawdown
Semianalytical Model for Drawdown due to Pumping a Partially Penetrating Large Diameter Well — Sushil K. Singh; 133 (2), 155-61 (2007).

Simple Approximation of Well Function for Constant Drawdown Variable Discharge Artesian Wells — Sushil K. Singh; 133 (3), 282-5 (2007).

Optimizing Aquifer Parameters from Drawdowns in Large Diameter Wells — Sushil K. Singh; 133 (4), 411-3 (2007).

Approximation of Well Function for Large Diameter Wells — Sushil K. Singh; 133 (4), 414-6 (2007).

Droughts
Optimization Model for Allocating Water in a River Basin during a Drought — Behrouz Abolpour and Mahmood Javan; 133 (6), 559-72 (2007).

Eigenvalues
Developing Regression Models for Predicting Pan Evaporation from Climatic Data—A Comparison of Multiple Least-Squares, Principal Components, and Partial Least-Squares Approaches — Gicy M. Kovoor and Lakshman Nandagiri; 133 (5), 444-54 (2007).

Eigenvectors
Developing Regression Models for Predicting Pan Evaporation from Climatic Data—A Comparison of Multiple Least-Squares, Principal Components, and Partial Least-Squares Approaches — Gicy M. Kovoor and Lakshman Nandagiri; 133 (5), 444-54 (2007).

Electrical conductivity
Irrigation Water Resource Management for Sustainable Agriculture—The Ankobra Basin, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 133 (6), 609-15 (2007).

Embankments
Field-Scale Assessment of Uncertainties in Drip Irrigation Lateral Parameters — Yeboah Gyasi-Agyei; 133 (6), 512-9 (2007).

Energy
Solution of Specific Energy and Specific Force Equations — Amlan Das; 133 (4), 407-10 (2007).

Energy balance
Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Model — Richard G. Allen, Masahiro Tasumi, and Ricardo Trezza; 133 (4), 380-94 (2007).

Equations of motion
Solution of Specific Energy and Specific Force Equations — Amlan Das; 133 (4), 407-10 (2007).

Estimation
New Methods for Aquifer Parameters from Slug Test Data — Sushil K. Singh; 133 (3), 272-5 (2007).

Simple Equations for Aquifer Parameters from Drawdowns in Large-Diameter Wells — Sushil K. Singh; 133 (3), 279-81 (2007).

Simple Approximation of Well Function for Constant Drawdown Variable Discharge Artesian Wells — Sushil K. Singh; 133 (3), 282-5 (2007).

Evaluation
General Irrigation Planning Performance of Water User Associations in the Gediz Basin in Turkey — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 133 (1), 17-26 (2007).

Evaporation
Approach to Control the Depth of Water in Basin Irrigation and Wetland Flooding — Hugo A. Loáiciga; 133 (5), 500-4 (2007).

Evapotranspiration
Hargreaves versus Penman-Monteith under Humid Conditions — Slavisa Trajkovic; 133 (1), 38-42 (2007).

Crop Coefficients for Microsprinkler-Irrigated, Clean-Cultivated, Mature Citrus in an Arid Climate — R. L. Snyder and N. V. O'Connell; 133 (1), 43-52 (2007).

Estimating Evapotranspiration Using Artificial Neural Network and Minimum Climatological Data — S. S. Zanetti, E. F. Sousa, V. P. S. Oliveira, F. T. Almeida, and S. Bernardo; 133 (2), 83-9 (2007).

Comparison of Priestley-Taylor and FAO-56 Penman-Monteith for Daily Reference Evapotranspiration Estimation in Georgia — Ayman A. Suleiman and Gerrit Hoogenboom; 133 (2), 175-82 (2007).

Water Table Fluctuation between Drains in the Presence of Exponential Recharge and Depth-Dependent Evapotranspiration — R. M. Singh, K. K. Singh, and S. R. Singh; 133 (2), 183-7 (2007).

Comparing Net Radiation Estimation Methods: CIMIS versus Penman–Monteith — Bekele Temesgen, Simon Eching, and Kent Frame; 133 (3), 265-71 (2007).

Estimating Daily Net Radiation over Vegetation Canopy through Remote Sensing and Climatic Data — Zohrab Samani, A. Salim Bawazir, Max Bleiweiss, Rhonda Skaggs, and Vien D. Tran; 133 (4), 291-7 (2007).

Adaptive Neurofuzzy Computing Technique for Evapotranspiration Estimation — Özgür Kişi and Özgür Öztürk; 133 (4), 368-79 (2007).

Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Model — Richard G. Allen, Masahiro Tasumi, and Ricardo Trezza; 133 (4), 380-94 (2007).

Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications — Richard G. Allen, Masahiro Tasumi, Anthony Morse, Ricardo Trezza, James L. Wright, Wim Bastiaanssen, William Kramber, Ignacio Lorite, and Clarence W. Robison; 133 (4), 395-406 (2007).

Developing Regression Models for Predicting Pan Evaporation from Climatic Data—A Comparison of Multiple Least-Squares, Principal Components, and Partial Least-Squares Approaches — Gicy M. Kovoor and Lakshman Nandagiri; 133 (5), 444-54 (2007).

Evolutionary computation
Optimum Design and Management of Pressurized Branched Irrigation Networks — Raziyeh Farmani, Ricardo Abadia, and Dragan Savic; 133 (6), 528-37 (2007).

Experimentation
Experimental Assessment of the Sprinkler Application Rate for Steep Sloping Fields — F. E. Cisneros Espinosa, P. Torres, and J. Feyen; 133 (3), 276-8 (2007).

Field tests
Stream Bank Erosion: In Situ Flume Tests — K. Debnath, V. Nikora, and A. Elliott; 133 (3), 256-64 (2007).

Flexible pavements
Evaluation of Four Permeable Pavement Sites in Eastern North Carolina for Runoff Reduction and Water Quality Impacts — Eban Zachary Bean, William Frederick Hunt, and David Alan Bidelspach; 133 (6), 583-92 (2007).

Flood routing
Chance-Constrained Optimization-Based Parameter Estimation for Muskingum Models — Amlan Das; 133 (5), 487-94 (2007).

Floods
Flooding Probability Constrained Optimal Design of Trapezoidal Channels — Amlan Das; 133 (1), 53-60 (2007).

Florida
Residential Irrigation Water Use in Central Florida — Melissa B. Haley, Michael D. Dukes, and Grady L. Miller; 133 (5), 427-34 (2007).

Flow measurement
Simple Flume for Flow Measurement in Sloping Open Channel — Giorgio Baiamonte and Vito Ferro; 133 (1), 71-8 (2007).

Flumes
Simple Flume for Flow Measurement in Sloping Open Channel — Giorgio Baiamonte and Vito Ferro; 133 (1), 71-8 (2007).

Stream Bank Erosion: In Situ Flume Tests — K. Debnath, V. Nikora, and A. Elliott; 133 (3), 256-64 (2007).

Discharge Relation for Cutthroat Flume under Free-Flow Condition — Vivek L. Manekar, Prakash D. Porey, and Ramesh N. Ingle; 133 (5), 495-9 (2007).

Forecasting
Estimating Evapotranspiration Using Artificial Neural Network and Minimum Climatological Data — S. S. Zanetti, E. F. Sousa, V. P. S. Oliveira, F. T. Almeida, and S. Bernardo; 133 (2), 83-9 (2007).

Model to Forecast Maximum Flows in On-Demand Irrigation Distribution Networks — J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 133 (3), 222-31 (2007).

Chance-Constrained Optimization-Based Parameter Estimation for Muskingum Models — Amlan Das; 133 (5), 487-94 (2007).

Furrow irrigation
Explicit Infiltration Function for Furrows — A. W. Warrick, N. Lazarovitch, A. Furman, and D. Zerihun; 133 (4), 307-13 (2007).

Physically Based Coupled Model for Simulating 1D Surface–2D Subsurface Flow and Plant Water Uptake in Irrigation Furrows. I: Model Development — Th. Wöhling and G. H. Schmitz; 133 (6), 538-47 (2007).

Physically Based Coupled Model for Simulating 1D Surface–2D Subsurface Flow and Plant Water Uptake in Irrigation Furrows. II: Model Test and Evaluation — Th. Wöhling and J. C. Mailhol; 133 (6), 548-58 (2007).

Fuzzy sets
Groundwater Flow and Contaminant Transport Simulation with Imprecise Parameters — Ram Kailash Prasad and Shashi Mathur; 133 (1), 61-70 (2007).

Minimum Cost Irrigation Network Design Using Interactive Fuzzy Integer Programming — M. Spiliotis and G. Tsakiris; 133 (3), 242-8 (2007).

Adaptive Neurofuzzy Computing Technique for Evapotranspiration Estimation — Özgür Kişi and Özgür Öztürk; 133 (4), 368-79 (2007).

Optimization Model for Allocating Water in a River Basin during a Drought — Behrouz Abolpour and Mahmood Javan; 133 (6), 559-72 (2007).

Gamma function
Identifying Representative Parameters of IUH — Sushil K. Singh; 133 (6), 602-8 (2007).

Genetic algorithms
Optimal Design of a Stable Trapezoidal Channel Section Using Hybrid Optimization Techniques — Rajib Kumar Bhattacharjya and Mysore G. Satish; 133 (4), 323-9 (2007).

Geographic information systems
Deciding Alternative Land Use Options in a Watershed Using GIS — Anita K. Prakash, I. V. Muralikrishna, P. K. Mishra, and R. V. R. K. Chalam; 133 (2), 162-74 (2007).

Quantifying Rainfall and Flooding Impacts on Groundwater Levels in Irrigation Areas: GIS Approach — Shahbaz Khan, Aftab Ahmad, and Butian Wang; 133 (4), 359-67 (2007).

Analysis of Spatial Scenarios Aiding Decision Making for Regional Irrigation Water-Demand Planning — Tzai-Hung Wen, Chun-Hung Lin, Ching-Tien Chen, and Ming-Daw Su; 133 (5), 455-67 (2007).

Layout Design of Irrigation Networks in Highly Parcelled Territories Using Geographical Information System — Alberto García Prats and Santiago Guillem Picó; 133 (6), 573-82 (2007).

Georgia
Comparison of Priestley-Taylor and FAO-56 Penman-Monteith for Daily Reference Evapotranspiration Estimation in Georgia — Ayman A. Suleiman and Gerrit Hoogenboom; 133 (2), 175-82 (2007).

Ghana
Irrigation Water Resource Management for Sustainable Agriculture—The Ankobra Basin, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 133 (6), 609-15 (2007).

Grasses
ANSWAPPS: Model for the Analysis of Grass Swale-Perforated Pipe Systems — Habib Abida, Jean Francois Sabourin, and Manel Ellouze; 133 (3), 211-21 (2007).

Gravels
Theory of Seepage into an Auger Hole in a Confined Aquifer Overlying a Gravel Substratum — Gautam Barua and Marc R. Hoffmann; 133 (4), 330-41 (2007).

Ground water
Modeling Laboratory Observations on Stream-Aquifer Interaction — Sushil K. Singh; 133 (1), 79-82 (2007).

Deciding Alternative Land Use Options in a Watershed Using GIS — Anita K. Prakash, I. V. Muralikrishna, P. K. Mishra, and R. V. R. K. Chalam; 133 (2), 162-74 (2007).

Simple Equations for Aquifer Parameters from Drawdowns in Large-Diameter Wells — Sushil K. Singh; 133 (3), 279-81 (2007).

Simple Approximation of Well Function for Constant Drawdown Variable Discharge Artesian Wells — Sushil K. Singh; 133 (3), 282-5 (2007).

Optimizing Aquifer Parameters from Drawdowns in Large Diameter Wells — Sushil K. Singh; 133 (4), 411-3 (2007).

Approximation of Well Function for Large Diameter Wells — Sushil K. Singh; 133 (4), 414-6 (2007).

Ground-water flow
Groundwater Flow and Contaminant Transport Simulation with Imprecise Parameters — Ram Kailash Prasad and Shashi Mathur; 133 (1), 61-70 (2007).

Ground-water management
New Methods for Aquifer Parameters from Slug Test Data — Sushil K. Singh; 133 (3), 272-5 (2007).

Development and Evaluation of Soil Moisture-Based Seepage Irrigation Management for Water Use and Quality — C. Pandey, S. Shukla, and T. A. Obreza; 133 (5), 435-43 (2007).

Estimating Storage Coefficient and Transmissivity from Slug Test Data — Prabhata K. Swamee and Sushil K. Singh; 133 (5), 505-7 (2007).

Head loss
Modeling Laboratory Observations on Stream-Aquifer Interaction — Sushil K. Singh; 133 (1), 79-82 (2007).

New Computational Fluid Dynamic Procedure to Estimate Friction and Local Losses in Coextruded Drip Laterals — Giuseppe Provenzano, Pietro Di Dio, and Guillermo Palau Salvador; 133 (6), 520-7 (2007).

Hybrid optimization
Optimal Design of a Stable Trapezoidal Channel Section Using Hybrid Optimization Techniques — Rajib Kumar Bhattacharjya and Mysore G. Satish; 133 (4), 323-9 (2007).

Hydraulic conductivity
Simultaneous Prediction of Saturated Hydraulic Conductivity and Drainable Porosity Using the Inverse Problem Technique — Jamal M. V. Samani, Parviz Fathi, and Mehdi Homaee; 133 (2), 110-5 (2007).

Theory of Seepage into an Auger Hole in a Confined Aquifer Overlying a Gravel Substratum — Gautam Barua and Marc R. Hoffmann; 133 (4), 330-41 (2007).

Temperature Effects on the Infiltration Rate through an Infiltration Basin BMP — Andrea Braga, Michael Horst, and Robert G. Traver; 133 (6), 593-601 (2007).

Irrigation Water Resource Management for Sustainable Agriculture—The Ankobra Basin, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 133 (6), 609-15 (2007).

Hydraulic network
Model to Forecast Maximum Flows in On-Demand Irrigation Distribution Networks — J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 133 (3), 222-31 (2007).

New Methodology to Evaluate Flow Rates in On-Demand Irrigation Networks — Miguel A. Moreno, Patricio Planells, José F. Ortega, and José Tarjuelo; 133 (4), 298-306 (2007).

Hydraulics
Analytical Relationships for Designing Multiple Outlets Pipelines — Gürol Yıldırım; 133 (2), 140-54 (2007).

Field-Scale Assessment of Uncertainties in Drip Irrigation Lateral Parameters — Yeboah Gyasi-Agyei; 133 (6), 512-9 (2007).

Hydrographs
Identifying Representative Parameters of IUH — Sushil K. Singh; 133 (6), 602-8 (2007).

Hydrologic models
Rational Coefficients for Steeply Sloped Watersheds — A. Gillian Cutter and Richard H. McCuen; 133 (2), 188-91 (2007).

Load Modeling Approach for Evaluating Selenium Stream Standards Compliance — R. Blair Hanna and Jim C. Loftis; 133 (3), 232-41 (2007).

Modifications to SCS-CN Method for Long-Term Hydrologic Simulation — K. Geetha, S. K. Mishra, T. I. Eldho, A. K. Rastogi, and R. P. Pandey; 133 (5), 475-86 (2007).

Hydrology
Variations of Time of Concentration Estimates Using NRCS Velocity Method — Xing Fang, David B. Thompson, Theodore G. Cleveland, and Pratistha Pradhan; 133 (4), 314-22 (2007).

HYDRUS-2D
Using HYDRUS-2D Simulation Model to Evaluate Wetted Soil Volume in Subsurface Drip Irrigation Systems — Giuseppe Provenzano; 133 (4), 342-9 (2007).

Hysteresis
Effect of Periodic and Continuous Irrigation on

Water Transport through Porous Media — C. P. Krishnamoorthy, Abhijit P. Deshpande, and S. Pushpavanam; 133 (2), 100-9 (2007).

In situ tests

Stream Bank Erosion: In Situ Flume Tests — K. Debnath, V. Nikora, and A. Elliott; 133 (3), 256-64 (2007).

Infiltration

Effect of Periodic and Continuous Irrigation on Water Transport through Porous Media — C. P. Krishnamoorthy, Abhijit P. Deshpande, and S. Pushpavanam; 133 (2), 100-9 (2007).

ANSWAPPS: Model for the Analysis of Grass Swale-Perforated Pipe Systems — Habib Abida, Jean Francois Sabourin, and Manel Ellouze; 133 (3), 211-21 (2007).

Explicit Infiltration Function for Furrows — A. W. Warrick, N. Lazarovitch, A. Furman, and D. Zerihun; 133 (4), 307-13 (2007).

Screening of Soil Amendments for Efficient Water-Holding Capacity Based on a Rainfall-Infiltration Model in a Vertisol — M. Rajeswari, G. R. Maruthi Sankar, M. V. Ranghaswami, and P. K. Mishra; 133 (5), 468-74 (2007).

Approach to Control the Depth of Water in Basin Irrigation and Wetland Flooding — Hugo A. Loáiciga; 133 (5), 500-4 (2007).

Physically Based Coupled Model for Simulating 1D Surface–2D Subsurface Flow and Plant Water Uptake in Irrigation Furrows. I: Model Development — Th. Wöhling and G. H. Schmitz; 133 (6), 538-47 (2007).

Physically Based Coupled Model for Simulating 1D Surface–2D Subsurface Flow and Plant Water Uptake in Irrigation Furrows. II: Model Test and Evaluation — Th. Wöhling and J. C. Mailhol; 133 (6), 548-58 (2007).

Temperature Effects on the Infiltration Rate through an Infiltration Basin BMP — Andrea Braga, Michael Horst, and Robert G. Traver; 133 (6), 593-601 (2007).

Instrumentation

Development and Evaluation of Soil Moisture-Based Seepage Irrigation Management for Water Use and Quality — C. Pandey, S. Shukla, and T. A. Obreza; 133 (5), 435-43 (2007).

Irrigation

General Irrigation Planning Performance of Water User Associations in the Gediz Basin in Turkey — Erhan Akkuzu, Halil B. Unal, Bekir S. Karataş, Musa Avci, and Serafettin Asik; 133 (1), 17-26 (2007).

Automatic Tuning of PI Controllers for an Irrigation Canal Pool — X. Litrico, P.-O. Malaterre, J.-P. Baume, P.-Y. Vion, and J. Ribot-Bruno; 133 (1), 27-37 (2007).

Crop Coefficients for Microsprinkler-Irrigated, Clean-Cultivated, Mature Citrus in an Arid Climate — R. L. Snyder and N. V. O'Connell; 133 (1), 43-52 (2007).

Effect of Periodic and Continuous Irrigation on Water Transport through Porous Media — C. P. Krishnamoorthy, Abhijit P. Deshpande, and S. Pushpavanam; 133 (2), 100-9 (2007).

Simulation of Processes Involved in Soil Salinization to Guide Soil Remediation — K. Guganesharajah, J. F. Pavey, J. van Wonderen, G. M. Khasankhanova, D. J. Lyons, and B. J. Lloyd; 133 (2), 131-9 (2007).

Comparison of Priestley-Taylor and FAO-56 Penman-Monteith for Daily Reference Evapotranspiration Estimation in Georgia — Ayman A. Suleiman and Gerrit Hoogenboom; 133 (2), 175-82 (2007).

Water Table Fluctuation between Drains in the Presence of Exponential Recharge and Depth-Dependent Evapotranspiration — R. M. Singh, K. K. Singh, and S. R. Singh; 133 (2), 183-7 (2007).

Multislit Weir Characteristics — A. S. Ramamurthy, Junying Qu, Chao Zhai, and Diep Vo; 133 (2), 198-200 (2007).

Model to Forecast Maximum Flows in On-Demand Irrigation Distribution Networks — J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 133 (3), 222-31 (2007).

New Methodology to Evaluate Flow Rates in On-Demand Irrigation Networks — Miguel A. Moreno, Patricio Planells, José F. Ortega, and José Tarjuelo; 133 (4), 298-306 (2007).

Growth, Evapotranspiration, and Nitrogen Leaching from Young Lysimeter-Grown Orange Trees — Brian J. Boman and Anwar M. Battikhi; 133 (4), 350-8 (2007).

Quantifying Rainfall and Flooding Impacts on Groundwater Levels in Irrigation Areas: GIS Approach — Shahbaz Khan, Aftab Ahmad, and Butian Wang; 133 (4), 359-67 (2007).

Residential Irrigation Water Use in Central Florida — Melissa B. Haley, Michael D. Dukes, and Grady L. Miller; 133 (5), 427-34 (2007).

Analysis of Spatial Scenarios Aiding Decision Making for Regional Irrigation Water-Demand Planning — Tzai-Hung Wen, Chun-Hung Lin, Ching-Tien Chen, and Ming-Daw Su; 133 (5), 455-67 (2007).

Screening of Soil Amendments for Efficient Water-Holding Capacity Based on a Rainfall-Infiltration Model in a Vertisol — M. Rajeswari, G. R. Maruthi Sankar, M. V. Ranghaswami, and P. K. Mishra; 133 (5), 468-74 (2007).

Discharge Relation for Cutthroat Flume under Free-Flow Condition — Vivek L. Manekar, Prakash D. Porey, and Ramesh N. Ingle; 133 (5), 495-9 (2007).

Approach to Control the Depth of Water in Basin Irrigation and Wetland Flooding — Hugo A. Loáiciga; 133 (5), 500-4 (2007).

New Computational Fluid Dynamic Procedure to Estimate Friction and Local Losses in Coextruded Drip Laterals — Giuseppe Provenzano, Pietro Di Dio, and Guillermo Palau Salvador; 133 (6), 520-7 (2007).

Layout Design of Irrigation Networks in Highly Parcelled Territories Using Geographical Information System — Alberto García Prats and Santiago Guillem Picó; 133 (6), 573-82 (2007).

Irrigation and drainage

Estimating Daily Net Radiation over Vegetation Canopy through Remote Sensing and Climatic Data — Zohrab Samani, A. Salim Bawazir, Max Bleiweiss, Rhonda Skaggs, and Vien D. Tran; 133 (4), 291-7 (2007).

Irrigation practices

Development and Evaluation of Soil Moisture-Based Seepage Irrigation Management for Water Use and Quality — C. Pandey, S. Shukla, and T. A. Obreza; 133 (5), 435-43 (2007).

Irrigation scheduling

Residential Irrigation Water Use in Central Florida — Melissa B. Haley, Michael D. Dukes, and Grady L. Miller; 133 (5), 427-34 (2007).

Irrigation systems

Flexible Irrigation Systems: Concept, Design, and Application — John L. Merriam, Stuart W. Styles, and Beau J. Freeman; 133 (1), 2-11 (2007).

Operational Cost Benefits Study of Flexible On-Farm Irrigation Supply Systems — John L. Merriam and Beau J. Freeman; 133 (1), 12-6 (2007).

Analytical Relationships for Designing Multiple Outlets Pipelines — Gürol Yıldırım; 133 (2), 140-54 (2007).

Minimum Cost Irrigation Network Design Using Interactive Fuzzy Integer Programming — M. Spiliotis and G. Tsakiris; 133 (3), 242-8 (2007).

Optimum Design and Management of Pressurized Branched Irrigation Networks — Raziyeh Farmani, Ricardo Abadia, and Dragan Savic; 133 (6), 528-37 (2007).

Land and water management

Quantifying Rainfall and Flooding Impacts on Groundwater Levels in Irrigation Areas: GIS Approach — Shahbaz Khan, Aftab Ahmad, and Butian Wang; 133 (4), 359-67 (2007).

Landscaping

Residential Irrigation Water Use in Central Florida — Melissa B. Haley, Michael D. Dukes, and Grady L. Miller; 133 (5), 427-34 (2007).

Large diameter wells

Optimizing Aquifer Parameters from Drawdowns in Large Diameter Wells — Sushil K. Singh; 133 (4), 411-3 (2007).

Approximation of Well Function for Large Diameter Wells — Sushil K. Singh; 133 (4), 414-6 (2007).

Leaching

Growth, Evapotranspiration, and Nitrogen Leaching from Young Lysimeter-Grown Orange Trees — Brian J. Boman and Anwar M. Battikhi; 133 (4), 350-8 (2007).

Least squares method

Developing Regression Models for Predicting Pan Evaporation from Climatic Data—A Comparison of Multiple Least-Squares, Principal Components, and Partial Least-Squares Approaches — Gicy M. Kovoor and Lakshman Nandagiri; 133 (5), 444-54 (2007).

Linear systems

Minimum Cost Irrigation Network Design Using Interactive Fuzzy Integer Programming — M. Spiliotis and G. Tsakiris; 133 (3), 242-8 (2007).

Lining

Flooding Probability Constrained Optimal Design of Trapezoidal Channels — Amlan Das; 133 (1), 53-60 (2007).

Lysimeters

Growth, Evapotranspiration, and Nitrogen Leaching from Young Lysimeter-Grown Orange Trees

— Brian J. Boman and Anwar M. Battikhi; 133 (4), 350-8 (2007).

Mathematical models

Simulation of Processes Involved in Soil Salinization to Guide Soil Remediation — K. Guganesharajah, J. F. Pavey, J. van Wonderen, G. M. Khasankhanova, D. J. Lyons, and B. J. Lloyd; 133 (2), 131-9 (2007).

Explicit Infiltration Function for Furrows — A. W. Warrick, N. Lazarovitch, A. Furman, and D. Zerihun; 133 (4), 307-13 (2007).

Physically Based Coupled Model for Simulating 1D Surface–2D Subsurface Flow and Plant Water Uptake in Irrigation Furrows. I: Model Development — Th. Wöhling and G. H. Schmitz; 133 (6), 538-47 (2007).

Physically Based Coupled Model for Simulating 1D Surface–2D Subsurface Flow and Plant Water Uptake in Irrigation Furrows. II: Model Test and Evaluation — Th. Wöhling and J. C. Mailhol; 133 (6), 548-58 (2007).

Metric systems

Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Model — Richard G. Allen, Masahiro Tasumi, and Ricardo Trezza; 133 (4), 380-94 (2007).

Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications — Richard G. Allen, Masahiro Tasumi, Anthony Morse, Ricardo Trezza, James L. Wright, Wim Bastiaanssen, William Kramber, Ignacio Lorite, and Clarence W. Robison; 133 (4), 395-406 (2007).

Models

Adaptive Neurofuzzy Computing Technique for Evapotranspiration Estimation — Özgür Kişi and Özgür Öztürk; 133 (4), 368-79 (2007).

Chance-Constrained Optimization-Based Parameter Estimation for Muskingum Models — Amlan Das; 133 (5), 487-94 (2007).

Moisture

Modifications to SCS-CN Method for Long-Term Hydrologic Simulation — K. Geetha, S. K. Mishra, T. I. Eldho, A. K. Rastogi, and R. P. Pandey; 133 (5), 475-86 (2007).

Approach to Control the Depth of Water in Basin Irrigation and Wetland Flooding — Hugo A. Loáiciga; 133 (5), 500-4 (2007).

Net radiation

Estimating Daily Net Radiation over Vegetation Canopy through Remote Sensing and Climatic Data — Zohrab Samani, A. Salim Bawazir, Max Bleiweiss, Rhonda Skaggs, and Vien D. Tran; 133 (4), 291-7 (2007).

Netherlands

Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Model — Richard G. Allen, Masahiro Tasumi, and Ricardo Trezza; 133 (4), 380-94 (2007).

Network design

Minimum Cost Irrigation Network Design Using Interactive Fuzzy Integer Programming — M. Spiliotis and G. Tsakiris; 133 (3), 242-8 (2007).

Layout Design of Irrigation Networks in Highly Parcelled Territories Using Geographical Information System — Alberto García Prats and Santiago Guillem Picó; 133 (6), 573-82 (2007).

Neural networks

Groundwater Flow and Contaminant Transport Simulation with Imprecise Parameters — Ram Kailash Prasad and Shashi Mathur; 133 (1), 61-70 (2007).

Estimating Evapotranspiration Using Artificial Neural Network and Minimum Climatological Data — S. S. Zanetti, E. F. Sousa, V. P. S. Oliveira, F. T. Almeida, and S. Bernardo; 133 (2), 83-9 (2007).

Adaptive Neurofuzzy Computing Technique for Evapotranspiration Estimation — Özgür Kişi and Özgür Öztürk; 133 (4), 368-79 (2007).

Nitrates

Hydrology and Nitrogen Components of a Simple Rye Growth Model — Gary W. Feyereisen, Gary R. Sands, Jeffrey S. Strock, Bruce N. Wilson, and Paul M. Porter; 133 (2), 90-9 (2007).

Nitrogen

Hydrology and Nitrogen Components of a Simple Rye Growth Model — Gary W. Feyereisen, Gary R. Sands, Jeffrey S. Strock, Bruce N. Wilson, and Paul M. Porter; 133 (2), 90-9 (2007).

Development and Evaluation of Soil Moisture-Based Seepage Irrigation Management for Water Use and Quality — C. Pandey, S. Shukla, and T. A. Obreza; 133 (5), 435-43 (2007).

Nonlinear analysis

Identifying Representative Parameters of IUH — Sushil K. Singh; 133 (6), 602-8 (2007).

Nonlinear differential equations

Effect of Periodic and Continuous Irrigation on Water Transport through Porous Media — C. P. Krishnamoorthy, Abhijit P. Deshpande, and S. Pushpavanam; 133 (2), 100-9 (2007).

Nutrient loads

Hydrology and Nitrogen Components of a Simple Rye Growth Model — Gary W. Feyereisen, Gary R. Sands, Jeffrey S. Strock, Bruce N. Wilson, and Paul M. Porter; 133 (2), 90-9 (2007).

Open channel flow

Simple Flume for Flow Measurement in Sloping Open Channel — Giorgio Baiamonte and Vito Ferro; 133 (1), 71-8 (2007).

Solution of Specific Energy and Specific Force Equations — Amlan Das; 133 (4), 407-10 (2007).

Discharge Relation for Cutthroat Flume under Free-Flow Condition — Vivek L. Manekar, Prakash D. Porey, and Ramesh N. Ingle; 133 (5), 495-9 (2007).

Open channels

Flooding Probability Constrained Optimal Design of Trapezoidal Channels — Amlan Das; 133 (1), 53-60 (2007).

Optimal Design of Channel Having Horizontal Bottom and Parabolic Sides — Amlan Das; 133 (2), 192-7 (2007).

Optimal Design of a Stable Trapezoidal Channel Section Using Hybrid Optimization Techniques — Rajib Kumar Bhattacharjya and Mysore G. Satish; 133 (4), 323-9 (2007).

Optimization

Flooding Probability Constrained Optimal Design of Trapezoidal Channels — Amlan Das; 133 (1), 53-60 (2007).

Modeling Laboratory Observations on Stream-Aquifer Interaction — Sushil K. Singh; 133 (1), 79-82 (2007).

Seepage Modeling Assisted Optimal Design of a Homogeneous Earth Dam: Procedure Evolution — Ihssan A. Abdul Hussain, Deepak Kashyap, and K. S. Hari Prasad; 133 (2), 116-30 (2007).

Optimal Design of Channel Having Horizontal Bottom and Parabolic Sides — Amlan Das; 133 (2), 192-7 (2007).

Minimum Cost Irrigation Network Design Using Interactive Fuzzy Integer Programming — M. Spiliotis and G. Tsakiris; 133 (3), 242-8 (2007).

Optimal Design of a Stable Trapezoidal Channel Section Using Hybrid Optimization Techniques — Rajib Kumar Bhattacharjya and Mysore G. Satish; 133 (4), 323-9 (2007).

Optimizing Aquifer Parameters from Drawdowns in Large Diameter Wells — Sushil K. Singh; 133 (4), 411-3 (2007).

Chance-Constrained Optimization-Based Parameter Estimation for Muskingum Models — Amlan Das; 133 (5), 487-94 (2007).

Estimating Storage Coefficient and Transmissivity from Slug Test Data — Prabhata K. Swamee and Sushil K. Singh; 133 (5), 505-7 (2007).

Optimum Design and Management of Pressurized Branched Irrigation Networks — Raziyeh Farmani, Ricardo Abadia, and Dragan Savic; 133 (6), 528-37 (2007).

Identifying Representative Parameters of IUH — Sushil K. Singh; 133 (6), 602-8 (2007).

Optimization models

Optimization Model for Allocating Water in a River Basin during a Drought — Behrouz Abolpour and Mahmood Javan; 133 (6), 559-72 (2007).

Parameters

Modeling Laboratory Observations on Stream-Aquifer Interaction — Sushil K. Singh; 133 (1), 79-82 (2007).

New Methods for Aquifer Parameters from Slug Test Data — Sushil K. Singh; 133 (3), 272-5 (2007).

Simple Approximation of Well Function for Constant Drawdown Variable Discharge Artesian Wells — Sushil K. Singh; 133 (3), 282-5 (2007).

Estimating Storage Coefficient and Transmissivity from Slug Test Data — Prabhata K. Swamee and Sushil K. Singh; 133 (5), 505-7 (2007).

Field-Scale Assessment of Uncertainties in Drip Irrigation Lateral Parameters — Yeboah Gyasi-Agyei; 133 (6), 512-9 (2007).

Identifying Representative Parameters of IUH — Sushil K. Singh; 133 (6), 602-8 (2007).

Performance characteristics

General Irrigation Planning Performance of Water User Associations in the Gediz Basin in Turkey — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 133 (1), 17-26 (2007).

Permeable block pavers

Field Survey of Permeable Pavement Surface Infiltration Rates — Eban Z. Bean, William F. Hunt, and David A. Bidelspach; 133 (3), 249-55 (2007).

Permeable concrete

Field Survey of Permeable Pavement Surface Infil-

tration Rates — Eban Z. Bean, William F. Hunt, and David A. Bidelspach; 133 (3), 249-55 (2007).

Permeable pavement
Field Survey of Permeable Pavement Surface Infiltration Rates — Eban Z. Bean, William F. Hunt, and David A. Bidelspach; 133 (3), 249-55 (2007).

Phosphorus
Development and Evaluation of Soil Moisture-Based Seepage Irrigation Management for Water Use and Quality — C. Pandey, S. Shukla, and T. A. Obreza; 133 (5), 435-43 (2007).

Pipe flow
Analytical Relationships for Designing Multiple Outlets Pipelines — Gürol Yıldırım; 133 (2), 140-54 (2007).

New Methodology to Evaluate Flow Rates in On-Demand Irrigation Networks — Miguel A. Moreno, Patricio Planells, José F. Ortega, and José Tarjuelo; 133 (4), 298-306 (2007).

Pipelines
Flexible Irrigation Systems: Concept, Design, and Application — John L. Merriam, Stuart W. Styles, and Beau J. Freeman; 133 (1), 2-11 (2007).

Porosity
Simultaneous Prediction of Saturated Hydraulic Conductivity and Drainable Porosity Using the Inverse Problem Technique — Jamal M. V. Samani, Parviz Fathi, and Mehdi Homaee; 133 (2), 110-5 (2007).

Porous materials
Evaluation of Four Permeable Pavement Sites in Eastern North Carolina for Runoff Reduction and Water Quality Impacts — Eban Zachary Bean, William Frederick Hunt, and David Alan Bidelspach; 133 (6), 583-92 (2007).

Predictions
Simultaneous Prediction of Saturated Hydraulic Conductivity and Drainable Porosity Using the Inverse Problem Technique — Jamal M. V. Samani, Parviz Fathi, and Mehdi Homaee; 133 (2), 110-5 (2007).

Pressurized flow
Optimum Design and Management of Pressurized Branched Irrigation Networks — Raziyeh Farmani, Ricardo Abadia, and Dragan Savic; 133 (6), 528-37 (2007).

Pumping
Approximation of Well Function for Large Diameter Wells — Sushil K. Singh; 133 (4), 414-6 (2007).

Pumps
Semianalytical Model for Drawdown due to Pumping a Partially Penetrating Large Diameter Well — Sushil K. Singh; 133 (2), 155-61 (2007).

Simple Equations for Aquifer Parameters from Drawdowns in Large-Diameter Wells — Sushil K. Singh; 133 (3), 279-81 (2007).

Railroad tracks
Field-Scale Assessment of Uncertainties in Drip Irrigation Lateral Parameters — Yeboah Gyasi-Agyei; 133 (6), 512-9 (2007).

Rainfall
Identifying Representative Parameters of IUH — Sushil K. Singh; 133 (6), 602-8 (2007).

Regional groundwater dynamics
Quantifying Rainfall and Flooding Impacts on Groundwater Levels in Irrigation Areas: GIS Approach — Shahbaz Khan, Aftab Ahmad, and Butian Wang; 133 (4), 359-67 (2007).

Regression analysis
Comparing Net Radiation Estimation Methods: CIMIS versus Penman–Monteith — Bekele Temesgen, Simon Eching, and Kent Frame; 133 (3), 265-71 (2007).

Developing Regression Models for Predicting Pan Evaporation from Climatic Data—A Comparison of Multiple Least-Squares, Principal Components, and Partial Least-Squares Approaches — Gicy M. Kovoor and Lakshman Nandagiri; 133 (5), 444-54 (2007).

Regression models
Developing Regression Models for Predicting Pan Evaporation from Climatic Data—A Comparison of Multiple Least-Squares, Principal Components, and Partial Least-Squares Approaches — Gicy M. Kovoor and Lakshman Nandagiri; 133 (5), 444-54 (2007).

Remote sensing
Deciding Alternative Land Use Options in a Watershed Using GIS — Anita K. Prakash, I. V. Muralikrishna, P. K. Mishra, and R. V. R. K. Chalam; 133 (2), 162-74 (2007).

Reservoir operation
Optimization Model for Allocating Water in a River Basin during a Drought — Behrouz Abolpour and Mahmood Javan; 133 (6), 559-72 (2007).

Reservoirs
Flexible Irrigation Systems: Concept, Design, and Application — John L. Merriam, Stuart W. Styles, and Beau J. Freeman; 133 (1), 2-11 (2007).

Residential location
Residential Irrigation Water Use in Central Florida — Melissa B. Haley, Michael D. Dukes, and Grady L. Miller; 133 (5), 427-34 (2007).

Residual drawdown
Optimizing Aquifer Parameters from Drawdowns in Large Diameter Wells — Sushil K. Singh; 133 (4), 411-3 (2007).

Return flow
Load Modeling Approach for Evaluating Selenium Stream Standards Compliance — R. Blair Hanna and Jim C. Loftis; 133 (3), 232-41 (2007).

River basins
Optimization Model for Allocating Water in a River Basin during a Drought — Behrouz Abolpour and Mahmood Javan; 133 (6), 559-72 (2007).

Irrigation Water Resource Management for Sustainable Agriculture—The Ankobra Basin, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 133 (6), 609-15 (2007).

Roughness
Flooding Probability Constrained Optimal Design of Trapezoidal Channels — Amlan Das; 133 (1), 53-60 (2007).

Runoff
ANSWAPPS: Model for the Analysis of Grass Swale-Perforated Pipe Systems — Habib Abida, Jean Francois Sabourin, and Manel Ellouze; 133 (3), 211-21 (2007).

Field Survey of Permeable Pavement Surface Infiltration Rates — Eban Z. Bean, William F. Hunt, and David A. Bidelspach; 133 (3), 249-55 (2007).

Experimental Assessment of the Sprinkler Application Rate for Steep Sloping Fields — F. E. Cisneros Espinosa, P. Torres, and J. Feyen; 133 (3), 276-8 (2007).

Development and Evaluation of Soil Moisture-Based Seepage Irrigation Management for Water Use and Quality — C. Pandey, S. Shukla, and T. A. Obreza; 133 (5), 435-43 (2007).

Modifications to SCS-CN Method for Long-Term Hydrologic Simulation — K. Geetha, S. K. Mishra, T. I. Eldho, A. K. Rastogi, and R. P. Pandey; 133 (5), 475-86 (2007).

Identifying Representative Parameters of IUH — Sushil K. Singh; 133 (6), 602-8 (2007).

Salinity
Load Modeling Approach for Evaluating Selenium Stream Standards Compliance — R. Blair Hanna and Jim C. Loftis; 133 (3), 232-41 (2007).

Quantifying Rainfall and Flooding Impacts on Groundwater Levels in Irrigation Areas: GIS Approach — Shahbaz Khan, Aftab Ahmad, and Butian Wang; 133 (4), 359-67 (2007).

Salt water intrusion
Simulation of Processes Involved in Soil Salinization to Guide Soil Remediation — K. Guganesharajah, J. F. Pavey, J. van Wonderen, G. M. Khasankhanova, D. J. Lyons, and B. J. Lloyd; 133 (2), 131-9 (2007).

Satellites
Estimating Daily Net Radiation over Vegetation Canopy through Remote Sensing and Climatic Data — Zohrab Samani, A. Salim Bawazir, Max Bleiweiss, Rhonda Skaggs, and Vien D. Tran; 133 (4), 291-7 (2007).

Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Model — Richard G. Allen, Masahiro Tasumi, and Ricardo Trezza; 133 (4), 380-94 (2007).

Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications — Richard G. Allen, Masahiro Tasumi, Anthony Morse, Ricardo Trezza, James L. Wright, Wim Bastiaanssen, William Kramber, Ignacio Lorite, and Clarence W. Robison; 133 (4), 395-406 (2007).

Scheduling
Optimum Design and Management of Pressurized Branched Irrigation Networks — Raziyeh Farmani, Ricardo Abadia, and Dragan Savic; 133 (6), 528-37 (2007).

Seepage
Seepage Modeling Assisted Optimal Design of a Homogeneous Earth Dam: Procedure Evolution — Ihssan A. Abdul Hussain, Deepak Kashyap, and K. S. Hari Prasad; 133 (2), 116-30 (2007).

Load Modeling Approach for Evaluating Selenium Stream Standards Compliance — R. Blair Hanna and Jim C. Loftis; 133 (3), 232-41 (2007).

Development and Evaluation of Soil Moisture-Based Seepage Irrigation Management for Water Use and Quality — C. Pandey, S. Shukla, and T. A. Obreza; 133 (5), 435-43 (2007).

Shallow water-table and floods
Quantifying Rainfall and Flooding Impacts on Groundwater Levels in Irrigation Areas: GIS Approach — Shahbaz Khan, Aftab Ahmad, and Butian Wang; 133 (4), 359-67 (2007).

Simulation
Groundwater Flow and Contaminant Transport Simulation with Imprecise Parameters — Ram Kailash Prasad and Shashi Mathur; 133 (1), 61-70 (2007).

Simultaneous Prediction of Saturated Hydraulic Conductivity and Drainable Porosity Using the Inverse Problem Technique — Jamal M. V. Samani, Parviz Fathi, and Mehdi Homaee; 133 (2), 110-5 (2007).

Simulation of Processes Involved in Soil Salinization to Guide Soil Remediation — K. Guganesharajah, J. F. Pavey, J. van Wonderen, G. M. Khasankhanova, D. J. Lyons, and B. J. Lloyd; 133 (2), 131-9 (2007).

Screening of Soil Amendments for Efficient Water-Holding Capacity Based on a Rainfall-Infiltration Model in a Vertisol — M. Rajeswari, G. R. Maruthi Sankar, M. V. Ranghaswami, and P. K. Mishra; 133 (5), 468-74 (2007).

Modifications to SCS-CN Method for Long-Term Hydrologic Simulation — K. Geetha, S. K. Mishra, T. I. Eldho, A. K. Rastogi, and R. P. Pandey; 133 (5), 475-86 (2007).

Slopes
Simple Flume for Flow Measurement in Sloping Open Channel — Giorgio Baiamonte and Vito Ferro; 133 (1), 71-8 (2007).

Rational Coefficients for Steeply Sloped Watersheds — A. Gillian Cutter and Richard H. McCuen; 133 (2), 188-91 (2007).

Experimental Assessment of the Sprinkler Application Rate for Steep Sloping Fields — F. E. Cisneros Espinosa, P. Torres, and J. Feyen; 133 (3), 276-8 (2007).

Field-Scale Assessment of Uncertainties in Drip Irrigation Lateral Parameters — Yeboah Gyasi-Agyei; 133 (6), 512-9 (2007).

Sodium
Irrigation Water Resource Management for Sustainable Agriculture—The Ankobra Basin, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 133 (6), 609-15 (2007).

Soil conservation
Deciding Alternative Land Use Options in a Watershed Using GIS — Anita K. Prakash, I. V. Muralikrishna, P. K. Mishra, and R. V. R. K. Chalam; 133 (2), 162-74 (2007).

Soil erosion
Deciding Alternative Land Use Options in a Watershed Using GIS — Anita K. Prakash, I. V. Muralikrishna, P. K. Mishra, and R. V. R. K. Chalam; 133 (2), 162-74 (2007).

Soil water
Approach to Control the Depth of Water in Basin Irrigation and Wetland Flooding — Hugo A. Loáiciga; 133 (5), 500-4 (2007).

Soil water storage
Hydrology and Nitrogen Components of a Simple Rye Growth Model — Gary W. Feyereisen, Gary R. Sands, Jeffrey S. Strock, Bruce N. Wilson, and Paul M. Porter; 133 (2), 90-9 (2007).

Solar radiation
Comparing Net Radiation Estimation Methods: CIMIS versus Penman–Monteith — Bekele Temesgen, Simon Eching, and Kent Frame; 133 (3), 265-71 (2007).

Estimating Daily Net Radiation over Vegetation Canopy through Remote Sensing and Climatic Data — Zohrab Samani, A. Salim Bawazir, Max Bleiweiss, Rhonda Skaggs, and Vien D. Tran; 133 (4), 291-7 (2007).

Spain
Model to Forecast Maximum Flows in On-Demand Irrigation Distribution Networks — J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 133 (3), 222-31 (2007).

Spatial analysis
Quantifying Rainfall and Flooding Impacts on Groundwater Levels in Irrigation Areas: GIS Approach — Shahbaz Khan, Aftab Ahmad, and Butian Wang; 133 (4), 359-67 (2007).

Sprinkler irrigation
Experimental Assessment of the Sprinkler Application Rate for Steep Sloping Fields — F. E. Cisneros Espinosa, P. Torres, and J. Feyen; 133 (3), 276-8 (2007).

Stable section
Optimal Design of a Stable Trapezoidal Channel Section Using Hybrid Optimization Techniques — Rajib Kumar Bhattacharjya and Mysore G. Satish; 133 (4), 323-9 (2007).

Steady flow
Analytical Relationships for Designing Multiple Outlets Pipelines — Gürol Yıldırım; 133 (2), 140-54 (2007).

Stochastic models
New Methodology to Evaluate Flow Rates in On-Demand Irrigation Networks — Miguel A. Moreno, Patricio Planells, José F. Ortega, and José Tarjuelo; 133 (4), 298-306 (2007).

Storage coefficient
Optimizing Aquifer Parameters from Drawdowns in Large Diameter Wells — Sushil K. Singh; 133 (4), 411-3 (2007).

Approximation of Well Function for Large Diameter Wells — Sushil K. Singh; 133 (4), 414-6 (2007).

Estimating Storage Coefficient and Transmissivity from Slug Test Data — Prabhata K. Swamee and Sushil K. Singh; 133 (5), 505-7 (2007).

Stormwater management
ANSWAPPS: Model for the Analysis of Grass Swale-Perforated Pipe Systems — Habib Abida, Jean Francois Sabourin, and Manel Ellouze; 133 (3), 211-21 (2007).

Evaluation of Four Permeable Pavement Sites in Eastern North Carolina for Runoff Reduction and Water Quality Impacts — Eban Zachary Bean, William Frederick Hunt, and David Alan Bidelspach; 133 (6), 583-92 (2007).

Temperature Effects on the Infiltration Rate through an Infiltration Basin BMP — Andrea Braga, Michael Horst, and Robert G. Traver; 133 (6), 593-601 (2007).

Subsurface drainage
Hydrology and Nitrogen Components of a Simple Rye Growth Model — Gary W. Feyereisen, Gary R. Sands, Jeffrey S. Strock, Bruce N. Wilson, and Paul M. Porter; 133 (2), 90-9 (2007).

Quantifying Rainfall and Flooding Impacts on Groundwater Levels in Irrigation Areas: GIS Approach — Shahbaz Khan, Aftab Ahmad, and Butian Wang; 133 (4), 359-67 (2007).

Subsurface drip irrigation
Using HYDRUS-2D Simulation Model to Evaluate Wetted Soil Volume in Subsurface Drip Irrigation Systems — Giuseppe Provenzano; 133 (4), 342-9 (2007).

Surface infiltration
Field Survey of Permeable Pavement Surface Infiltration Rates — Eban Z. Bean, William F. Hunt, and David A. Bidelspach; 133 (3), 249-55 (2007).

Taiwan
Analysis of Spatial Scenarios Aiding Decision Making for Regional Irrigation Water-Demand Planning — Tzai-Hung Wen, Chun-Hung Lin, Ching-Tien Chen, and Ming-Daw Su; 133 (5), 455-67 (2007).

Temperature
Hargreaves versus Penman-Monteith under Humid Conditions — Slavisa Trajkovic; 133 (1), 38-42 (2007).

Temperature effects
Temperature Effects on the Infiltration Rate through an Infiltration Basin BMP — Andrea Braga, Michael Horst, and Robert G. Traver; 133 (6), 593-601 (2007).

Temperature measurement
Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Model — Richard G. Allen, Masahiro Tasumi, and Ricardo Trezza; 133 (4), 380-94 (2007).

Time of concentration
Variations of Time of Concentration Estimates Using NRCS Velocity Method — Xing Fang, David B. Thompson, Theodore G. Cleveland, and Pratistha Pradhan; 133 (4), 314-22 (2007).

Transmissivity
Optimizing Aquifer Parameters from Drawdowns in Large Diameter Wells — Sushil K. Singh; 133 (4), 411-3 (2007).

Approximation of Well Function for Large Diameter Wells — Sushil K. Singh; 133 (4), 414-6 (2007).

Transpiration
Effect of Periodic and Continuous Irrigation on Water Transport through Porous Media — C. P. Krishnamoorthy, Abhijit P. Deshpande, and S. Pushpavanam; 133 (2), 100-9 (2007).

Travel time
Variations of Time of Concentration Estimates Using NRCS Velocity Method — Xing Fang, David B. Thompson, Theodore G. Cleveland, and Pratistha Pradhan; 133 (4), 314-22 (2007).

Trickle irrigation
Field-Scale Assessment of Uncertainties in Drip Irrigation Lateral Parameters — Yeboah Gyasi-Agyei; 133 (6), 512-9 (2007).

Turbulence
New Computational Fluid Dynamic Procedure to Estimate Friction and Local Losses in Coextruded Drip Laterals — Giuseppe Provenzano, Pietro Di Dio, and Guillermo Palau Salvador; 133 (6), 520-7 (2007).

Turkey
General Irrigation Planning Performance of Water User Associations in the Gediz Basin in Turkey — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 133 (1), 17-26 (2007).

Two-dimensional models
Explicit Infiltration Function for Furrows — A. W. Warrick, N. Lazarovitch, A. Furman, and D. Zerihun; 133 (4), 307-13 (2007).

Physically Based Coupled Model for Simulating 1D Surface–2D Subsurface Flow and Plant Water Uptake in Irrigation Furrows. I: Model Development — Th. Wöhling and G. H. Schmitz; 133 (6), 538-47 (2007).

Physically Based Coupled Model for Simulating 1D Surface–2D Subsurface Flow and Plant Water Uptake in Irrigation Furrows. II: Model Test and Evaluation — Th. Wöhling and J. C. Mailhol; 133 (6), 548-58 (2007).

Uncertainty principles
Field-Scale Assessment of Uncertainties in Drip Irrigation Lateral Parameters — Yeboah Gyasi-Agyei; 133 (6), 512-9 (2007).

Unsaturated flow
Effect of Periodic and Continuous Irrigation on Water Transport through Porous Media — C. P. Krishnamoorthy, Abhijit P. Deshpande, and S. Pushpavanam; 133 (2), 100-9 (2007).

Unsteady flow
Semianalytical Model for Drawdown due to Pumping a Partially Penetrating Large Diameter Well — Sushil K. Singh; 133 (2), 155-61 (2007).

Simple Equations for Aquifer Parameters from Drawdowns in Large-Diameter Wells — Sushil K. Singh; 133 (3), 279-81 (2007).

Simple Approximation of Well Function for Constant Drawdown Variable Discharge Artesian Wells — Sushil K. Singh; 133 (3), 282-5 (2007).

Approximation of Well Function for Large Diameter Wells — Sushil K. Singh; 133 (4), 414-6 (2007).

Urban stormwater
Field Survey of Permeable Pavement Surface Infiltration Rates — Eban Z. Bean, William F. Hunt, and David A. Bidelspach; 133 (3), 249-55 (2007).

Validation
ANSWAPPS: Model for the Analysis of Grass Swale-Perforated Pipe Systems — Habib Abida, Jean Francois Sabourin, and Manel Ellouze; 133 (3), 211-21 (2007).

.Developing Regression Models for Predicting Pan Evaporation from Climatic Data—A Comparison of Multiple Least-Squares, Principal Components, and Partial Least-Squares Approaches — Gicy M. Kovoor and Lakshman Nandagiri; 133 (5), 444-54 (2007).

Vegetation
Physically Based Coupled Model for Simulating 1D Surface–2D Subsurface Flow and Plant Water Uptake in Irrigation Furrows. I: Model Development — Th. Wöhling and G. H. Schmitz; 133 (6), 538-47 (2007).

Physically Based Coupled Model for Simulating 1D Surface–2D Subsurface Flow and Plant Water Uptake in Irrigation Furrows. II: Model Test and Evaluation — Th. Wöhling and J. C. Mailhol; 133 (6), 548-58 (2007).

Velocity
Development of Experimental Test Setup to Evaluate Abrasion Characteristics of Drainage Pipes — Yeol Choi, Ali Abolmaali, Jiwon Jung, and Jong-Su Yoo; 133 (3), 206-10 (2007).

Velocity method
Variations of Time of Concentration Estimates Using NRCS Velocity Method — Xing Fang, David B. Thompson, Theodore G. Cleveland, and Pratistha Pradhan; 133 (4), 314-22 (2007).

Water demand
Analysis of Spatial Scenarios Aiding Decision Making for Regional Irrigation Water-Demand Planning — Tzai-Hung Wen, Chun-Hung Lin, Ching-Tien Chen, and Ming-Daw Su; 133 (5), 455-67 (2007).

Optimization Model for Allocating Water in a River Basin during a Drought — Behrouz Abolpour and Mahmood Javan; 133 (6), 559-72 (2007).

Water discharge
Simple Approximation of Well Function for Constant Drawdown Variable Discharge Artesian Wells — Sushil K. Singh; 133 (3), 282-5 (2007).

Water distribution systems
General Irrigation Planning Performance of Water User Associations in the Gediz Basin in Turkey — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 133 (1), 17-26 (2007).

Model to Forecast Maximum Flows in On-Demand Irrigation Distribution Networks — J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 133 (3), 222-31 (2007).

Water levels
New Methods for Aquifer Parameters from Slug Test Data — Sushil K. Singh; 133 (3), 272-5 (2007).

Water loss
Crop Coefficients for Microsprinkler-Irrigated, Clean-Cultivated, Mature Citrus in an Arid Climate — R. L. Snyder and N. V. O'Connell; 133 (1), 43-52 (2007).

Water management
General Irrigation Planning Performance of Water User Associations in the Gediz Basin in Turkey — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 133 (1), 17-26 (2007).

Development and Evaluation of Soil Moisture-Based Seepage Irrigation Management for Water Use and Quality — C. Pandey, S. Shukla, and T. A. Obreza; 133 (5), 435-43 (2007).

Analysis of Spatial Scenarios Aiding Decision Making for Regional Irrigation Water-Demand Planning — Tzai-Hung Wen, Chun-Hung Lin, Ching-Tien Chen, and Ming-Daw Su; 133 (5), 455-67 (2007).

Discharge Relation for Cutthroat Flume under Free-Flow Condition — Vivek L. Manekar, Prakash D. Porey, and Ramesh N. Ingle; 133 (5), 495-9 (2007).

New Computational Fluid Dynamic Procedure to Estimate Friction and Local Losses in Coextruded Drip Laterals — Giuseppe Provenzano, Pietro Di Dio, and Guillermo Palau Salvador; 133 (6), 520-7 (2007).

Water pipelines
Analytical Relationships for Designing Multiple Outlets Pipelines — Gürol Yıldırım; 133 (2), 140-54 (2007).

Water pollution
Evaluation of Four Permeable Pavement Sites in Eastern North Carolina for Runoff Reduction and Water Quality Impacts — Eban Zachary Bean, William Frederick Hunt, and David Alan Bidelspach; 133 (6), 583-92 (2007).

Water quality
Load Modeling Approach for Evaluating Selenium Stream Standards Compliance — R. Blair Hanna and Jim C. Loftis; 133 (3), 232-41 (2007).

Growth, Evapotranspiration, and Nitrogen Leaching from Young Lysimeter-Grown Orange Trees — Brian J. Boman and Anwar M. Battikhi; 133 (4), 350-8 (2007).

Water resources
Load Modeling Approach for Evaluating Selenium Stream Standards Compliance — R. Blair Hanna and Jim C. Loftis; 133 (3), 232-41 (2007).

Water rights
Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications — Richard G. Allen, Masahiro Tasumi, Anthony Morse, Ricardo Trezza, James L. Wright, Wim Bastiaanssen, William Kramber, Ignacio Lorite, and Clarence W. Robison; 133 (4), 395-406 (2007).

Water shortage
Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Model — Richard G. Allen, Masahiro Tasumi, and Ricardo Trezza; 133 (4), 380-94 (2007).

Water storage
New Methods for Aquifer Parameters from Slug Test Data — Sushil K. Singh; 133 (3), 272-5 (2007).

Simple Equations for Aquifer Parameters from Drawdowns in Large-Diameter Wells — Sushil K. Singh; 133 (3), 279-81 (2007).

Simple Approximation of Well Function for Constant Drawdown Variable Discharge Artesian Wells — Sushil K. Singh; 133 (3), 282-5 (2007).

Water supply
Operational Cost Benefits Study of Flexible On-Farm Irrigation Supply Systems — John L. Merriam and Beau J. Freeman; 133 (1), 12-6 (2007).

Optimization Model for Allocating Water in a River Basin during a Drought — Behrouz Abolpour and Mahmood Javan; 133 (6), 559-72 (2007).

Water table
Water Table Fluctuation between Drains in the Presence of Exponential Recharge and Depth-Dependent Evapotranspiration — R. M. Singh, K. K. Singh, and S. R. Singh; 133 (2), 183-7 (2007).

Development and Evaluation of Soil Moisture-Based Seepage Irrigation Management for Water Use and Quality — C. Pandey, S. Shukla, and T. A. Obreza; 133 (5), 435-43 (2007).

Water use
Residential Irrigation Water Use in Central Florida — Melissa B. Haley, Michael D. Dukes, and Grady L. Miller; 133 (5), 427-34 (2007).

Development and Evaluation of Soil Moisture-Based Seepage Irrigation Management for Water Use and Quality — C. Pandey, S. Shukla, and T. A. Obreza; 133 (5), 435-43 (2007).

Screening of Soil Amendments for Efficient Water-Holding Capacity Based on a Rainfall-Infiltration Model in a Vertisol — M. Rajeswari, G. R. Maruthi Sankar, M. V. Ranghaswami, and P. K. Mishra; 133 (5), 468-74 (2007).

Watershed management

Deciding Alternative Land Use Options in a Watershed Using GIS — Anita K. Prakash, I. V. Muralikrishna, P. K. Mishra, and R. V. R. K. Chalam; 133 (2), 162-74 (2007).

Rational Coefficients for Steeply Sloped Watersheds — A. Gillian Cutter and Richard H. McCuen; 133 (2), 188-91 (2007).

Modifications to SCS-CN Method for Long-Term Hydrologic Simulation — K. Geetha, S. K. Mishra, T. I. Eldho, A. K. Rastogi, and R. P. Pandey; 133 (5), 475-86 (2007).

Weather data

Comparing Net Radiation Estimation Methods: CIMIS versus Penman–Monteith — Bekele Temesgen, Simon Eching, and Kent Frame; 133 (3), 265-71 (2007).

Weather station

Estimating Daily Net Radiation over Vegetation Canopy through Remote Sensing and Climatic Data — Zohrab Samani, A. Salim Bawazir, Max Bleiweiss, Rhonda Skaggs, and Vien D. Tran; 133 (4), 291-7 (2007).

Weirs

Multislit Weir Characteristics — A. S. Ramamurthy, Junying Qu, Chao Zhai, and Diep Vo; 133 (2), 198-200 (2007).

Well function

Approximation of Well Function for Large Diameter Wells — Sushil K. Singh; 133 (4), 414-6 (2007).

Wells

Semianalytical Model for Drawdown due to Pumping a Partially Penetrating Large Diameter Well — Sushil K. Singh; 133 (2), 155-61 (2007).

New Methods for Aquifer Parameters from Slug Test Data — Sushil K. Singh; 133 (3), 272-5 (2007).

Simple Equations for Aquifer Parameters from Drawdowns in Large-Diameter Wells — Sushil K. Singh; 133 (3), 279-81 (2007).

Simple Approximation of Well Function for Constant Drawdown Variable Discharge Artesian Wells — Sushil K. Singh; 133 (3), 282-5 (2007).

Estimating Storage Coefficient and Transmissivity from Slug Test Data — Prabhata K. Swamee and Sushil K. Singh; 133 (5), 505-7 (2007).

Wetlands

Approach to Control the Depth of Water in Basin Irrigation and Wetland Flooding — Hugo A. Loáiciga; 133 (5), 500-4 (2007).

Author Index

Abadia, Ricardo
Optimum Design and Management of Pressurized Branched Irrigation Networks — Raziyeh Farmani, Ricardo Abadia, and Dragan Savic; 133 (6), 528-37 (2007).

Abdul Hussain, Ihssan A.
Seepage Modeling Assisted Optimal Design of a Homogeneous Earth Dam: Procedure Evolution — Ihssan A. Abdul Hussain, Deepak Kashyap, and K. S. Hari Prasad; 133 (2), 116-30 (2007).

Abida, Habib
ANSWAPPS: Model for the Analysis of Grass Swale-Perforated Pipe Systems — Habib Abida, Jean Francois Sabourin, and Manel Ellouze; 133 (3), 211-21 (2007).

Abolmaali, Ali
Development of Experimental Test Setup to Evaluate Abrasion Characteristics of Drainage Pipes — Yeol Choi, Ali Abolmaali, Jiwon Jung, and Jong-Su Yoo; 133 (3), 206-10 (2007).

Abolpour, Behrouz
Optimization Model for Allocating Water in a River Basin during a Drought — Behrouz Abolpour and Mahmood Javan; 133 (6), 559-72 (2007).

Ahmad, Aftab
Quantifying Rainfall and Flooding Impacts on Groundwater Levels in Irrigation Areas: GIS Approach — Shahbaz Khan, Aftab Ahmad, and Butian Wang; 133 (4), 359-67 (2007).

Akkuzu, Erhan
General Irrigation Planning Performance of Water User Associations in the Gediz Basin in Turkey — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 133 (1), 17-26 (2007).

Allen, Richard G.
Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Model — Richard G. Allen, Masahiro Tasumi, and Ricardo Trezza; 133 (4), 380-94 (2007).

Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications — Richard G. Allen, Masahiro Tasumi, Anthony Morse, Ricardo Trezza, James L. Wright, Wim Bastiaanssen, William Kramber, Ignacio Lorite, and Clarence W. Robison; 133 (4), 395-406 (2007).

Almeida, F. T.
Estimating Evapotranspiration Using Artificial Neural Network and Minimum Climatological Data — S. S. Zanetti, E. F. Sousa, V. P. S. Oliveira, F. T. Almeida, and S. Bernardo; 133 (2), 83-9 (2007).

Asik, Serafettin
General Irrigation Planning Performance of Water User Associations in the Gediz Basin in Turkey — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 133 (1), 17-26 (2007).

Avci, Musa
General Irrigation Planning Performance of Water User Associations in the Gediz Basin in Turkey — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 133 (1), 17-26 (2007).

Baiamonte, Giorgio
Simple Flume for Flow Measurement in Sloping Open Channel — Giorgio Baiamonte and Vito Ferro; 133 (1), 71-8 (2007).

Banoeng-Yakubo, Bruce
Irrigation Water Resource Management for Sustainable Agriculture—The Ankobra Basin, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 133 (6), 609-15 (2007).

Barua, Gautam
Theory of Seepage into an Auger Hole in a Confined Aquifer Overlying a Gravel Substratum — Gautam Barua and Marc R. Hoffmann; 133 (4), 330-41 (2007).

Bastiaanssen, Wim
Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications — Richard G. Allen, Masahiro Tasumi, Anthony Morse, Ricardo Trezza, James L. Wright, Wim Bastiaanssen, William Kramber, Ignacio Lorite, and Clarence W. Robison; 133 (4), 395-406 (2007).

Battikhi, Anwar M.
Growth, Evapotranspiration, and Nitrogen Leaching from Young Lysimeter-Grown Orange Trees — Brian J. Boman and Anwar M. Battikhi; 133 (4), 350-8 (2007).

Baume, J.-P.
Automatic Tuning of PI Controllers for an Irrigation Canal Pool — X. Litrico, P.-O. Malaterre, J.-P. Baume, P.-Y. Vion, and J. Ribot-Bruno; 133 (1), 27-37 (2007).

Bawazir, A. Salim
Estimating Daily Net Radiation over Vegetation Canopy through Remote Sensing and Climatic Data — Zohrab Samani, A. Salim Bawazir, Max Bleiweiss, Rhonda Skaggs, and Vien D. Tran; 133 (4), 291-7 (2007).

Bean, Eban Z.
Field Survey of Permeable Pavement Surface Infiltration Rates — Eban Z. Bean, William F. Hunt, and David A. Bidelspach; 133 (3), 249-55 (2007).

Evaluation of Four Permeable Pavement Sites in Eastern North Carolina for Runoff Reduction and Water Quality Impacts — Eban Zachary Bean, William Frederick Hunt, and David Alan Bidelspach; 133 (6), 583-92 (2007).

Bernardo, S.
Estimating Evapotranspiration Using Artificial Neural Network and Minimum Climatological Data — S. S. Zanetti, E. F. Sousa, V. P. S. Oliveira, F. T. Almeida, and S. Bernardo; 133 (2), 83-9 (2007).

Bhattacharjya, Rajib Kumar
Optimal Design of a Stable Trapezoidal Channel Section Using Hybrid Optimization Techniques — Rajib Kumar Bhattacharjya and Mysore G. Satish; 133 (4), 323-9 (2007).

Bidelspach, David A.
Field Survey of Permeable Pavement Surface Infiltration Rates — Eban Z. Bean, William F. Hunt, and David A. Bidelspach; 133 (3), 249-55 (2007).

Evaluation of Four Permeable Pavement Sites in Eastern North Carolina for Runoff Reduction and Water Quality Impacts — Eban Zachary Bean, William Frederick Hunt, and David Alan Bidelspach; 133 (6), 583-92 (2007).

Bleiweiss, Max
Estimating Daily Net Radiation over Vegetation Canopy through Remote Sensing and Climatic Data — Zohrab Samani, A. Salim Bawazir, Max Bleiweiss, Rhonda Skaggs, and Vien D. Tran; 133 (4), 291-7 (2007).

Boman, Brian J.
Growth, Evapotranspiration, and Nitrogen Leaching from Young Lysimeter-Grown Orange Trees — Brian J. Boman and Anwar M. Battikhi; 133 (4), 350-8 (2007).

Bos, Marinus G.
Discussion of "Broad-Crested Weirs with Rectangular Compound Cross Sections" by M. Göğüş, Z. Defne, and V. Özkandemir — Tony L. Wahl, Albert J. Clemmens, John A. Replogle, and Marinus G. Bos; 133 (6), 616-8 (2007).

Braga, Andrea
Temperature Effects on the Infiltration Rate through an Infiltration Basin BMP — Andrea Braga, Michael Horst, and Robert G. Traver; 133 (6), 593-601 (2007).

Bralts, Vincent F.
Discussion of "Modified Hazen–Williams and Darcy–Weisbach Equations for Friction and Local Head Losses along Irrigation Laterals" by John D. Valiantzas — Giuseppe Provenzano, Guillermo Palau-Salvador, and Vincent F. Bralts; 133 (4), 417-20 (2007).

Camacho Poyato, E.
Model to Forecast Maximum Flows in On-Demand Irrigation Distribution Networks — J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 133 (3), 222-31 (2007).

Chalam, R. V. R. K.
Deciding Alternative Land Use Options in a Watershed Using GIS — Anita K. Prakash, I. V. Muralikrishna, P. K. Mishra, and R. V. R. K. Chalam; 133 (2), 162-74 (2007).

Chen, Ching-Tien
Analysis of Spatial Scenarios Aiding Decision Making for Regional Irrigation Water-Demand Planning — Tzai-Hung Wen, Chun-Hung Lin, Ching-Tien Chen, and Ming-Daw Su; 133 (5), 455-67 (2007).

Choi, Yeol
Development of Experimental Test Setup to Evaluate Abrasion Characteristics of Drainage Pipes — Yeol Choi, Ali Abolmaali, Jiwon Jung, and Jong-Su Yoo; 133 (3), 206-10 (2007).
Clemmens, Albert J.
Discussion of "Broad-Crested Weirs with Rectangular Compound Cross Sections" by M. Göğüş, Z. Defne, and V. Özkandemir — Tony L. Wahl, Albert J. Clemmens, John A. Replogle, and Marinus G. Bos; 133 (6), 616-8 (2007).
Cleveland, Theodore G.
Variations of Time of Concentration Estimates Using NRCS Velocity Method — Xing Fang, David B. Thompson, Theodore G. Cleveland, and Pratistha Pradhan; 133 (4), 314-22 (2007).
Cross, Paul R.
Introduction: Benefits of Flexible Water Delivery — Paul R. Cross; 133 (1), 1 (2007).
Cutter, A. Gillian
Rational Coefficients for Steeply Sloped Watersheds — A. Gillian Cutter and Richard H. McCuen; 133 (2), 188-91 (2007).
Das, Amlan
Flooding Probability Constrained Optimal Design of Trapezoidal Channels — Amlan Das; 133 (1), 53-60 (2007).
Optimal Design of Channel Having Horizontal Bottom and Parabolic Sides — Amlan Das; 133 (2), 192-7 (2007).
Solution of Specific Energy and Specific Force Equations — Amlan Das; 133 (4), 407-10 (2007).
Chance-Constrained Optimization-Based Parameter Estimation for Muskingum Models — Amlan Das; 133 (5), 487-94 (2007).
Debnath, K.
Stream Bank Erosion: In Situ Flume Tests — K. Debnath, V. Nikora, and A. Elliott; 133 (3), 256-64 (2007).
Defne, Zafer
Closure to "Broad-Crested Weirs with Rectangular Compound Cross Sections" by M. Göğüş, Z. Defne, and V. Özkandemir — Mustafa Göğüş, Zafer Defne, and Volkan Özkandemir; 133 (6), 618-9 (2007).
Deshpande, Abhijit P.
Effect of Periodic and Continuous Irrigation on Water Transport through Porous Media — C. P. Krishnamoorthy, Abhijit P. Deshpande, and S. Pushpavanam; 133 (2), 100-9 (2007).
Di Dio, Pietro
New Computational Fluid Dynamic Procedure to Estimate Friction and Local Losses in Coextruded Drip Laterals — Giuseppe Provenzano, Pietro Di Dio, and Guillermo Palau-Salvador; 133 (6), 520-7 (2007).
Dukes, Michael D.
Residential Irrigation Water Use in Central Florida — Melissa B. Haley, Michael D. Dukes, and Grady L. Miller; 133 (5), 427-34 (2007).
Eching, Simon
Comparing Net Radiation Estimation Methods: CIMIS versus Penman–Monteith — Bekele Temesgen, Simon Eching, and Kent Frame; 133 (3), 265-71 (2007).
Eldho, T. I.
Modifications to SCS-CN Method for Long-Term Hydrologic Simulation — K. Geetha, S. K. Mishra, T. I. Eldho, A. K. Rastogi, and R. P. Pandey; 133 (5), 475-86 (2007).
Elliott, A.
Stream Bank Erosion: In Situ Flume Tests — K. Debnath, V. Nikora, and A. Elliott; 133 (3), 256-64 (2007).
Ellouze, Manel
ANSWAPPS: Model for the Analysis of Grass Swale-Perforated Pipe Systems — Habib Abida, Jean Francois Sabourin, and Manel Ellouze; 133 (3), 211-21 (2007).
Espinosa, F. E. Cisneros
Experimental Assessment of the Sprinkler Application Rate for Steep Sloping Fields — F. E. Cisneros Espinosa, P. Torres, and J. Feyen; 133 (3), 276-8 (2007).
Fahimuddin, Mohd
Closure to "Stream Multiaquifer Well Interactions" by Govinda C. Mishra, and Mohd Fahimuddin — Govinda C. Mishra and Mohd Fahimuddin; 133 (3), 286-8 (2007).
Fang, Xing
Variations of Time of Concentration Estimates Using NRCS Velocity Method — Xing Fang, David B. Thompson, Theodore G. Cleveland, and Pratistha Pradhan; 133 (4), 314-22 (2007).
Farmani, Raziyeh
Optimum Design and Management of Pressurized Branched Irrigation Networks — Raziyeh Farmani, Ricardo Abadia, and Dragan Savic; 133 (6), 528-37 (2007).
Fathi, Parviz
Simultaneous Prediction of Saturated Hydraulic Conductivity and Drainable Porosity Using the Inverse Problem Technique — Jamal M. V. Samani, Parviz Fathi, and Mehdi Homaee; 133 (2), 110-5 (2007).
Ferro, Vito
Simple Flume for Flow Measurement in Sloping Open Channel — Giorgio Baiamonte and Vito Ferro; 133 (1), 71-8 (2007).
Feyen, J.
Experimental Assessment of the Sprinkler Application Rate for Steep Sloping Fields — F. E. Cisneros Espinosa, P. Torres, and J. Feyen; 133 (3), 276-8 (2007).
Feyereisen, Gary W.
Hydrology and Nitrogen Components of a Simple Rye Growth Model — Gary W. Feyereisen, Gary R. Sands, Jeffrey S. Strock, Bruce N. Wilson, and Paul M. Porter; 133 (2), 90-9 (2007).
Frame, Kent
Comparing Net Radiation Estimation Methods: CIMIS versus Penman–Monteith — Bekele Temesgen, Simon Eching, and Kent Frame; 133 (3), 265-71 (2007).
Freeman, Beau J.
Flexible Irrigation Systems: Concept, Design, and Application — John L. Merriam, Stuart W. Styles, and Beau J. Freeman; 133 (1), 2-11 (2007).
Operational Cost Benefits Study of Flexible On-Farm Irrigation Supply Systems — John L. Merriam and Beau J. Freeman; 133 (1), 12-6 (2007).
Furman, A.
Explicit Infiltration Function for Furrows — A. W. Warrick, N. Lazarovitch, A. Furman, and D. Zerihun; 133 (4), 307-13 (2007).
Geetha, K.
Modifications to SCS-CN Method for Long-Term Hydrologic Simulation — K. Geetha, S. K. Mishra, T. I. Eldho, A. K. Rastogi, and R. P. Pandey; 133 (5), 475-86 (2007).
Göğüş, Mustafa
Closure to "Broad-Crested Weirs with Rectangular Compound Cross Sections" by M. Göğüş, Z. Defne, and V. Özkandemir — Mustafa Göğüş, Zafer Defne, and Volkan Özkandemir; 133 (6), 618-9 (2007).
Guganesharajah, K.
Simulation of Processes Involved in Soil Salinization to Guide Soil Remediation — K. Guganesharajah, J. F. Pavey, J. van Wonderen, G. M. Khasankhanova, D. J. Lyons, and B. J. Lloyd; 133 (2), 131-9 (2007).
Gyasi-Agyei, Yeboah
Field-Scale Assessment of Uncertainties in Drip Irrigation Lateral Parameters — Yeboah Gyasi-Agyei; 133 (6), 512-9 (2007).
Haley, Melissa B.
Residential Irrigation Water Use in Central Florida — Melissa B. Haley, Michael D. Dukes, and Grady L. Miller; 133 (5), 427-34 (2007).
Hanna, R. Blair
Load Modeling Approach for Evaluating Selenium Stream Standards Compliance — R. Blair Hanna and Jim C. Loftis; 133 (3), 232-41 (2007).
Hargreaves, George H.
Better Management of Renewable Resources Can Avert a World Crisis — George H. Hargreaves and Daniele Zaccaria; 133 (3), 201-5 (2007).
Hoffmann, Marc R.
Theory of Seepage into an Auger Hole in a Confined Aquifer Overlying a Gravel Substratum — Gautam Barua and Marc R. Hoffmann; 133 (4), 330-41 (2007).
Homaee, Mehdi
Simultaneous Prediction of Saturated Hydraulic Conductivity and Drainable Porosity Using the Inverse Problem Technique — Jamal M. V. Samani, Parviz Fathi, and Mehdi Homaee; 133 (2), 110-5 (2007).
Hoogenboom, Gerrit
Comparison of Priestley-Taylor and FAO-56 Penman-Monteith for Daily Reference Evapotranspiration Estimation in Georgia — Ayman A. Suleiman and Gerrit Hoogenboom; 133 (2), 175-82 (2007).
Horst, Michael
Temperature Effects on the Infiltration Rate through an Infiltration Basin BMP — Andrea Braga, Michael Horst, and Robert G. Traver; 133 (6), 593-601 (2007).
Hunt, William F.
Field Survey of Permeable Pavement Surface Infiltration Rates — Eban Z. Bean, William F. Hunt, and David A. Bidelspach; 133 (3), 249-55 (2007).
Evaluation of Four Permeable Pavement Sites in Eastern North Carolina for Runoff Reduction and Water Quality Impacts — Eban Zachary Bean, William Frederick Hunt, and David Alan Bidelspach; 133 (6), 583-92 (2007).
Ingle, Ramesh N.
Discharge Relation for Cutthroat Flume under Free-Flow Condition — Vivek L. Manekar, Prakash D. Porey, and Ramesh N. Ingle; 133 (5), 495-9 (2007).

Javan, Mahmood
Optimization Model for Allocating Water in a River Basin during a Drought — Behrouz Abolpour and Mahmood Javan; 133 (6), 559-72 (2007).
Jung, Jiwon
Development of Experimental Test Setup to Evaluate Abrasion Characteristics of Drainage Pipes — Yeol Choi, Ali Abolmaali, Jiwon Jung, and Jong-Su Yoo; 133 (3), 206-10 (2007).
Karatas, Bekir S.
General Irrigation Planning Performance of Water User Associations in the Gediz Basin in Turkey — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 133 (1), 17-26 (2007).
Kashyap, Deepak
Seepage Modeling Assisted Optimal Design of a Homogeneous Earth Dam: Procedure Evolution — Ihssan A. Abdul Hussain, Deepak Kashyap, and K. S. Hari Prasad; 133 (2), 116-30 (2007).
Khan, Shahbaz
Quantifying Rainfall and Flooding Impacts on Groundwater Levels in Irrigation Areas: GIS Approach — Shahbaz Khan, Aftab Ahmad, and Butian Wang; 133 (4), 359-67 (2007).
Khasankhanova, G. M.
Simulation of Processes Involved in Soil Salinization to Guide Soil Remediation — K. Guganesharajah, J. F. Pavey, J. van Wonderen, G. M. Khasankhanova, D. J. Lyons, and B. J. Lloyd; 133 (2), 131-9 (2007).
Kişi, Özgür
Adaptive Neurofuzzy Computing Technique for Evapotranspiration Estimation — Özgür Kişi and Özgür Öztürk; 133 (4), 368-79 (2007).
Kouchakzadeh, S.
Discussion of "Exact Equations for Critical Depth in a Trapezoidal Canal" by Prabhata K. Swamee and Pushpa N. Rathie — A. R. Vatankhah and S. Kouchakzadeh; 133 (5), 508 (2007).
Kovoor, Gicy M.
Developing Regression Models for Predicting Pan Evaporation from Climatic Data—A Comparison of Multiple Least-Squares, Principal Components, and Partial Least-Squares Approaches — Gicy M. Kovoor and Lakshman Nandagiri; 133 (5), 444-54 (2007).
Kramber, William
Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications — Richard G. Allen, Masahiro Tasumi, Anthony Morse, Ricardo Trezza, James L. Wright, Wim Bastiaanssen, William Kramber, Ignacio Lorite, and Clarence W. Robison; 133 (4), 395-406 (2007).
Krishnamoorthy, C. P.
Effect of Periodic and Continuous Irrigation on Water Transport through Porous Media — C. P. Krishnamoorthy, Abhijit P. Deshpande, and S. Pushpavanam; 133 (2), 100-9 (2007).
Kucukali, Serhat
Discussion of "Energy Dissipation on Reinforced Block Ramps" by S. Pagliara and P. Chiavaccini — Serhat Kucukali; 133 (3), 289 (2007).
Lazarovitch, N.
Explicit Infiltration Function for Furrows — A. W. Warrick, N. Lazarovitch, A. Furman, and D. Zerihun; 133 (4), 307-13 (2007).
Lin, Chun-Hung
Analysis of Spatial Scenarios Aiding Decision Making for Regional Irrigation Water-Demand Planning — Tzai-Hung Wen, Chun-Hung Lin, Ching-Tien Chen, and Ming-Daw Su; 133 (5), 455-67 (2007).
Litrico, X.
Automatic Tuning of PI Controllers for an Irrigation Canal Pool — X. Litrico, P.-O. Malaterre, J.-P. Baume, P.-Y. Vion, and J. Ribot-Bruno; 133 (1), 27-37 (2007).
Lloyd, B. J.
Simulation of Processes Involved in Soil Salinization to Guide Soil Remediation — K. Guganesharajah, J. F. Pavey, J. van Wonderen, G. M. Khasankhanova, D. J. Lyons, and B. J. Lloyd; 133 (2), 131-9 (2007).
Loáiciga, Hugo A.
Approach to Control the Depth of Water in Basin Irrigation and Wetland Flooding — Hugo A. Loáiciga; 133 (5), 500-4 (2007).
Loftis, Jim C.
Load Modeling Approach for Evaluating Selenium Stream Standards Compliance — R. Blair Hanna and Jim C. Loftis; 133 (3), 232-41 (2007).
López Luque, R.
Model to Forecast Maximum Flows in On-Demand Irrigation Distribution Networks — J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 133 (3), 222-31 (2007).
Lorite, Ignacio
Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications — Richard G. Allen, Masahiro Tasumi, Anthony Morse, Ricardo Trezza, James L. Wright, Wim Bastiaanssen, William Kramber, Ignacio Lorite, and Clarence W. Robison; 133 (4), 395-406 (2007).
Lyons, D. J.
Simulation of Processes Involved in Soil Salinization to Guide Soil Remediation — K. Guganesharajah, J. F. Pavey, J. van Wonderen, G. M. Khasankhanova, D. J. Lyons, and B. J. Lloyd; 133 (2), 131-9 (2007).
Mailhol, J. C.
Physically Based Coupled Model for Simulating 1D Surface–2D Subsurface Flow and Plant Water Uptake in Irrigation Furrows. II: Model Test and Evaluation — Th. Wöhling and J. C. Mailhol; 133 (6), 548-58 (2007).
Malaterre, P.-O.
Automatic Tuning of PI Controllers for an Irrigation Canal Pool — X. Litrico, P.-O. Malaterre, J.-P. Baume, P.-Y. Vion, and J. Ribot-Bruno; 133 (1), 27-37 (2007).
Manekar, Vivek L.
Discharge Relation for Cutthroat Flume under Free-Flow Condition — Vivek L. Manekar, Prakash D. Porey, and Ramesh N. Ingle; 133 (5), 495-9 (2007).
Mathur, Shashi
Groundwater Flow and Contaminant Transport Simulation with Imprecise Parameters — Ram Kailash Prasad and Shashi Mathur; 133 (1), 61-70 (2007).
McCuen, Richard H.
Rational Coefficients for Steeply Sloped Watersheds — A. Gillian Cutter and Richard H. McCuen; 133 (2), 188-91 (2007).
Merriam, John L.
Flexible Irrigation Systems: Concept, Design, and Application — John L. Merriam, Stuart W. Styles, and Beau J. Freeman; 133 (1), 2-11 (2007).
Operational Cost Benefits Study of Flexible On-Farm Irrigation Supply Systems — John L. Merriam and Beau J. Freeman; 133 (1), 12-6 (2007).
Miller, Grady L.
Residential Irrigation Water Use in Central Florida — Melissa B. Haley, Michael D. Dukes, and Grady L. Miller; 133 (5), 427-34 (2007).
Mishra, Govinda C.
Closure to "Stream Multiaquifer Well Interactions" by Govinda C. Mishra, and Mohd Fahimuddin — Govinda C. Mishra and Mohd Fahimuddin; 133 (3), 286-8 (2007).
Mishra, P. K.
Deciding Alternative Land Use Options in a Watershed Using GIS — Anita K. Prakash, I. V. Muralikrishna, P. K. Mishra, and R. V. R. K. Chalam; 133 (2), 162-74 (2007).
Screening of Soil Amendments for Efficient Water-Holding Capacity Based on a Rainfall-Infiltration Model in a Vertisol — M. Rajeswari, G. R. Maruthi Sankar, M. V. Ranghaswami, and P. K. Mishra; 133 (5), 468-74 (2007).
Mishra, S. K.
Modifications to SCS-CN Method for Long-Term Hydrologic Simulation — K. Geetha, S. K. Mishra, T. I. Eldho, A. K. Rastogi, and R. P. Pandey; 133 (5), 475-86 (2007).
Moreno, Miguel A.
New Methodology to Evaluate Flow Rates in On-Demand Irrigation Networks — Miguel A. Moreno, Patricio Planells, José F. Ortega, and José Tarjuelo; 133 (4), 298-306 (2007).
Morse, Anthony
Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications — Richard G. Allen, Masahiro Tasumi, Anthony Morse, Ricardo Trezza, James L. Wright, Wim Bastiaanssen, William Kramber, Ignacio Lorite, and Clarence W. Robison; 133 (4), 395-406 (2007).
Muralikrishna, I. V.
Deciding Alternative Land Use Options in a Watershed Using GIS — Anita K. Prakash, I. V. Muralikrishna, P. K. Mishra, and R. V. R. K. Chalam; 133 (2), 162-74 (2007).
Nandagiri, Lakshman
Developing Regression Models for Predicting Pan Evaporation from Climatic Data—A Comparison of Multiple Least-Squares, Principal Components, and Partial Least-Squares Approaches — Gicy M. Kovoor and Lakshman Nandagiri; 133 (5), 444-54 (2007).
Nikora, V.
Stream Bank Erosion: In Situ Flume Tests — K. Debnath, V. Nikora, and A. Elliott; 133 (3), 256-64 (2007).
Obreza, T. A.
Development and Evaluation of Soil Moisture-Based Seepage Irrigation Management for Water Use and Quality — C. Pandey, S. Shukla, and T. A. Obreza; 133 (5), 435-43 (2007).
O'Connell, N. V.
Crop Coefficients for Microsprinkler-Irrigated, Clean-Cultivated, Mature Citrus in an Arid Climate — R. L. Snyder and N. V. O'Connell;

133 (1), 43-52 (2007).

Oliveira, V. P. S.

Estimating Evapotranspiration Using Artificial Neural Network and Minimum Climatological Data — S. S. Zanetti, E. F. Sousa, V. P. S. Oliveira, F. T. Almeida, and S. Bernardo; 133 (2), 83-9 (2007).

Ophori, Duke

Irrigation Water Resource Management for Sustainable Agriculture—The Ankobra Basin, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 133 (6), 609-15 (2007).

Ortega, José F.

New Methodology to Evaluate Flow Rates in On-Demand Irrigation Networks — Miguel A. Moreno, Patricio Planells, José F. Ortega, and José Tarjuelo; 133 (4), 298-306 (2007).

Özkandemir, Volkan

Closure to "Broad-Crested Weirs with Rectangular Compound Cross Sections" by M. Göğüş, Z. Defne, and V. Özkandemir — Mustafa Göğüş, Zafer Defne, and Volkan Özkandemir; 133 (6), 618-9 (2007).

Öztürk, Özgür

Adaptive Neurofuzzy Computing Technique for Evapotranspiration Estimation — Özgür Kişi and Özgür Öztürk; 133 (4), 368-79 (2007).

Pagliara, Stefano

Closure to "Energy Dissipation on Reinforced Block Ramps" by S. Pagliara and P. Chiavaccini — Stefano Pagliara; 133 (3), 289-90 (2007).

Palau-Salvador, Guillermo

Discussion of "Modified Hazen–Williams and Darcy–Weisbach Equations for Friction and Local Head Losses along Irrigation Laterals" by John D. Valiantzas — Giuseppe Provenzano, Guillermo Palau-Salvador, and Vincent F. Bralts; 133 (4), 417-20 (2007).

New Computational Fluid Dynamic Procedure to Estimate Friction and Local Losses in Coextruded Drip Laterals — Giuseppe Provenzano, Pietro Di Dio, and Guillermo Palau-Salvador; 133 (6), 520-7 (2007).

Pandey, C.

Development and Evaluation of Soil Moisture-Based Seepage Irrigation Management for Water Use and Quality — C. Pandey, S. Shukla, and T. A. Obreza; 133 (5), 435-43 (2007).

Pandey, R. P.

Modifications to SCS-CN Method for Long-Term Hydrologic Simulation — K. Geetha, S. K. Mishra, T. I. Eldho, A. K. Rastogi, and R. P. Pandey; 133 (5), 475-86 (2007).

Pavey, J. F.

Simulation of Processes Involved in Soil Salinization to Guide Soil Remediation — K. Guganesharajah, J. F. Pavey, J. van Wonderen, G. M. Khasankhanova, D. J. Lyons, and B. J. Lloyd; 133 (2), 131-9 (2007).

Picó, Santiago Guillem

Layout Design of Irrigation Networks in Highly Parcelled Territories Using Geographical Information System — Alberto García Prats and Santiago Guillem Picó; 133 (6), 573-82 (2007).

Planells, Patricio

New Methodology to Evaluate Flow Rates in On-Demand Irrigation Networks — Miguel A. Moreno, Patricio Planells, José F. Ortega, and José Tarjuelo; 133 (4), 298-306 (2007).

Porey, Prakash D.

Discharge Relation for Cutthroat Flume under Free-Flow Condition — Vivek L. Manekar, Prakash D. Porey, and Ramesh N. Ingle; 133 (5), 495-9 (2007).

Porter, Paul M.

Hydrology and Nitrogen Components of a Simple Rye Growth Model — Gary W. Feyereisen, Gary R. Sands, Jeffrey S. Strock, Bruce N. Wilson, and Paul M. Porter; 133 (2), 90-9 (2007).

Pradhan, Pratistha

Variations of Time of Concentration Estimates Using NRCS Velocity Method — Xing Fang, David B. Thompson, Theodore G. Cleveland, and Pratistha Pradhan; 133 (4), 314-22 (2007).

Prakash, Anita K.

Deciding Alternative Land Use Options in a Watershed Using GIS — Anita K. Prakash, I. V. Muralikrishna, P. K. Mishra, and R. V. R. K. Chalam; 133 (2), 162-74 (2007).

Prasad, K. S. Hari

Seepage Modeling Assisted Optimal Design of a Homogeneous Earth Dam: Procedure Evolution — Ihssan A. Abdul Hussain, Deepak Kashyap, and K. S. Hari Prasad; 133 (2), 116-30 (2007).

Prasad, Ram Kailash

Groundwater Flow and Contaminant Transport Simulation with Imprecise Parameters — Ram Kailash Prasad and Shashi Mathur; 133 (1), 61-70 (2007).

Prats, Alberto García

Layout Design of Irrigation Networks in Highly Parcelled Territories Using Geographical Information System — Alberto García Prats and Santiago Guillem Picó; 133 (6), 573-82 (2007).

Provenzano, Giuseppe

Using HYDRUS-2D Simulation Model to Evaluate Wetted Soil Volume in Subsurface Drip Irrigation Systems — Giuseppe Provenzano; 133 (4), 342-9 (2007).

Discussion of "Modified Hazen–Williams and Darcy–Weisbach Equations for Friction and Local Head Losses along Irrigation Laterals" by John D. Valiantzas — Giuseppe Provenzano, Guillermo Palau-Salvador, and Vincent F. Bralts; 133 (4), 417-20 (2007).

New Computational Fluid Dynamic Procedure to Estimate Friction and Local Losses in Coextruded Drip Laterals — Giuseppe Provenzano, Pietro Di Dio, and Guillermo Palau-Salvador; 133 (6), 520-7 (2007).

Pushpavanam, S.

Effect of Periodic and Continuous Irrigation on Water Transport through Porous Media — C. P. Krishnamoorthy, Abhijit P. Deshpande, and S. Pushpavanam; 133 (2), 100-9 (2007).

Qu, Junying

Multislit Weir Characteristics — A. S. Ramamurthy, Junying Qu, Chao Zhai, and Diep Vo; 133 (2), 198-200 (2007).

Rajeswari, M.

Screening of Soil Amendments for Efficient Water-Holding Capacity Based on a Rainfall-Infiltration Model in a Vertisol — M. Rajeswari, G. R. Maruthi Sankar, M. V. Ranghaswami, and P. K. Mishra; 133 (5), 468-74 (2007).

Ramamurthy, A. S.

Multislit Weir Characteristics — A. S. Ramamurthy, Junying Qu, Chao Zhai, and Diep Vo; 133 (2), 198-200 (2007).

Ranghaswami, M. V.

Screening of Soil Amendments for Efficient Water-Holding Capacity Based on a Rainfall-Infiltration Model in a Vertisol — M. Rajeswari, G. R. Maruthi Sankar, M. V. Ranghaswami, and P. K. Mishra; 133 (5), 468-74 (2007).

Rastogi, A. K.

Modifications to SCS-CN Method for Long-Term Hydrologic Simulation — K. Geetha, S. K. Mishra, T. I. Eldho, A. K. Rastogi, and R. P. Pandey; 133 (5), 475-86 (2007).

Rathie, Pushpa N.

Closure to "Exact Equations for Critical Depth in a Trapezoidal Canal" by Prabhata K. Swamee, Pushpa N. Rathie — Prabhata K. Swamee and Pushpa N. Rathie; 133 (5), 509-10 (2007).

Replogle, John A.

Discussion of "Broad-Crested Weirs with Rectangular Compound Cross Sections" by M. Göğüş, Z. Defne, and V. Özkandemir — Tony L. Wahl, Albert J. Clemmens, John A. Replogle, and Marinus G. Bos; 133 (6), 616-8 (2007).

Ribot-Bruno, J.

Automatic Tuning of PI Controllers for an Irrigation Canal Pool — X. Litrico, P.-O. Malaterre, J.-P. Baume, P.-Y. Vion, and J. Ribot-Bruno; 133 (1), 27-37 (2007).

Ritter, William F.

Book Reviews — William Ritter; 133 (4), 422 (2007).

Awards — William f. Ritter; 133 (5), 423 (2007).

Awards: 2007 Royce J. Tipton Award — William F. Ritter; 133 (5), 424 (2007).

Marvin Jensen Receives EWRI Lifetime Achievement Award — William F. Ritter; 133 (5), 425 (2007).

Editor's Note — William F. Ritter; 133 (5), 426 (2007).

Editor's Note — William F. Ritter; 133 (6), 511 (2007).

Robison, Clarence W.

Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications — Richard G. Allen, Masahiro Tasumi, Anthony Morse, Ricardo Trezza, James L. Wright, Wim Bastiaanssen, William Kramber, Ignacio Lorite, and Clarence W. Robison; 133 (4), 395-406 (2007).

Rodríguez Díaz, J. A.

Model to Forecast Maximum Flows in On-Demand Irrigation Distribution Networks — J. A. Rodríguez Díaz, E. Camacho Poyato, and R. López Luque; 133 (3), 222-31 (2007).

Sabourin, Jean Francois

ANSWAPPS: Model for the Analysis of Grass Swale-Perforated Pipe Systems — Habib Abida, Jean Francois Sabourin, and Manel Ellouze; 133 (3), 211-21 (2007).

Samani, Jamal M. V.

Simultaneous Prediction of Saturated Hydraulic Conductivity and Drainable Porosity Using the Inverse Problem Technique — Jamal M. V. Samani, Parviz Fathi, and Mehdi Homaee; 133 (2), 110-5 (2007).

Samani, Zohrab

Estimating Daily Net Radiation over Vegetation Canopy through Remote Sensing and Climatic Data — Zohrab Samani, A. Salim Bawazir, Max Bleiweiss, Rhonda Skaggs, and Vien D. Tran; 133 (4), 291-7 (2007).

Sands, Gary R.
Hydrology and Nitrogen Components of a Simple Rye Growth Model — Gary W. Feyereisen, Gary R. Sands, Jeffrey S. Strock, Bruce N. Wilson, and Paul M. Porter; 133 (2), 90-9 (2007).
Sankar, G. R. Maruthi
Screening of Soil Amendments for Efficient Water-Holding Capacity Based on a Rainfall-Infiltration Model in a Vertisol — M. Rajeswari, G. R. Maruthi Sankar, M. V. Ranghaswami, and P. K. Mishra; 133 (5), 468-74 (2007).
Satish, Mysore G.
Optimal Design of a Stable Trapezoidal Channel Section Using Hybrid Optimization Techniques — Rajib Kumar Bhattacharjya and Mysore G. Satish; 133 (4), 323-9 (2007).
Savic, Dragan
Optimum Design and Management of Pressurized Branched Irrigation Networks — Raziyeh Farmani, Ricardo Abadia, and Dragan Savic; 133 (6), 528-37 (2007).
Schmitz, G. H.
Physically Based Coupled Model for Simulating 1D Surface–2D Subsurface Flow and Plant Water Uptake in Irrigation Furrows. I: Model Development — Th. Wöhling and G. H. Schmitz; 133 (6), 538-47 (2007).
Shukla, S.
Development and Evaluation of Soil Moisture-Based Seepage Irrigation Management for Water Use and Quality — C. Pandey, S. Shukla, and T. A. Obreza; 133 (5), 435-43 (2007).
Singh, K. K.
Water Table Fluctuation between Drains in the Presence of Exponential Recharge and Depth-Dependent Evapotranspiration — R. M. Singh, K. K. Singh, and S. R. Singh; 133 (2), 183-7 (2007).
Singh, R. M.
Water Table Fluctuation between Drains in the Presence of Exponential Recharge and Depth-Dependent Evapotranspiration — R. M. Singh, K. K. Singh, and S. R. Singh; 133 (2), 183-7 (2007).
Singh, S. R.
Water Table Fluctuation between Drains in the Presence of Exponential Recharge and Depth-Dependent Evapotranspiration — R. M. Singh, K. K. Singh, and S. R. Singh; 133 (2), 183-7 (2007).
Singh, Sushil K.
Modeling Laboratory Observations on Stream-Aquifer Interaction — Sushil K. Singh; 133 (1), 79-82 (2007).
Semianalytical Model for Drawdown due to Pumping a Partially Penetrating Large Diameter Well — Sushil K. Singh; 133 (2), 155-61 (2007).
New Methods for Aquifer Parameters from Slug Test Data — Sushil K. Singh; 133 (3), 272-5 (2007).
Simple Equations for Aquifer Parameters from Drawdowns in Large-Diameter Wells — Sushil K. Singh; 133 (3), 279-81 (2007).
Simple Approximation of Well Function for Constant Drawdown Variable Discharge Artesian Wells — Sushil K. Singh; 133 (3), 282-5 (2007).
Discussion of "Stream Multiaquifer Well Interactions" by Govinda C. Mishra and Mohd Fahimuddin — Sushil K. Singh; 133 (3), 286 (2007).
Optimizing Aquifer Parameters from Drawdowns in Large Diameter Wells — Sushil K. Singh; 133 (4), 411-3 (2007).
Approximation of Well Function for Large Diameter Wells — Sushil K. Singh; 133 (4), 414-6 (2007).
Estimating Storage Coefficient and Transmissivity from Slug Test Data — Prabhata K. Swamee and Sushil K. Singh; 133 (5), 505-7 (2007).
Identifying Representative Parameters of IUH — Sushil K. Singh; 133 (6), 602-8 (2007).
Skaggs, Rhonda
Estimating Daily Net Radiation over Vegetation Canopy through Remote Sensing and Climatic Data — Zohrab Samani, A. Salim Bawazir, Max Bleiweiss, Rhonda Skaggs, and Vien D. Tran; 133 (4), 291-7 (2007).
Snyder, R. L.
Crop Coefficients for Microsprinkler-Irrigated, Clean-Cultivated, Mature Citrus in an Arid Climate — R. L. Snyder and N. V. O'Connell; 133 (1), 43-52 (2007).
Sousa, E. F.
Estimating Evapotranspiration Using Artificial Neural Network and Minimum Climatological Data — S. S. Zanetti, E. F. Sousa, V. P. S. Oliveira, F. T. Almeida, and S. Bernardo; 133 (2), 83-9 (2007).
Spiliotis, M.
Minimum Cost Irrigation Network Design Using Interactive Fuzzy Integer Programming — M. Spiliotis and G. Tsakiris; 133 (3), 242-8 (2007).
Srivastava, Rajesh
Discussion of "Exact Equations for Critical Depth in a Trapezoidal Canal" by Prabhata K. Swamee and Pushpa N. Rathie — Rajesh Srivastava; 133 (5), 509 (2007).
Strock, Jeffrey S.
Hydrology and Nitrogen Components of a Simple Rye Growth Model — Gary W. Feyereisen, Gary R. Sands, Jeffrey S. Strock, Bruce N. Wilson, and Paul M. Porter; 133 (2), 90-9 (2007).
Styles, Stuart W.
Flexible Irrigation Systems: Concept, Design, and Application — John L. Merriam, Stuart W. Styles, and Beau J. Freeman; 133 (1), 2-11 (2007).
Su, Ming-Daw
Analysis of Spatial Scenarios Aiding Decision Making for Regional Irrigation Water-Demand Planning — Tzai-Hung Wen, Chun-Hung Lin, Ching-Tien Chen, and Ming-Daw Su; 133 (5), 455-67 (2007).
Suleiman, Ayman A.
Comparison of Priestley-Taylor and FAO-56 Penman-Monteith for Daily Reference Evapotranspiration Estimation in Georgia — Ayman A. Suleiman and Gerrit Hoogenboom; 133 (2), 175-82 (2007).
Swamee, Prabhata K.
Estimating Storage Coefficient and Transmissivity from Slug Test Data — Prabhata K. Swamee and Sushil K. Singh; 133 (5), 505-7 (2007).
Closure to "Exact Equations for Critical Depth in a Trapezoidal Canal" by Prabhata K. Swamee, Pushpa N. Rathie — Prabhata K. Swamee and Pushpa N. Rathie; 133 (5), 509-10 (2007).
Tarjuelo, José
New Methodology to Evaluate Flow Rates in On-Demand Irrigation Networks — Miguel A. Moreno, Patricio Planells, José F. Ortega, and José Tarjuelo; 133 (4), 298-306 (2007).
Tasumi, Masahiro
Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Model — Richard G. Allen, Masahiro Tasumi, and Ricardo Trezza; 133 (4), 380-94 (2007).
Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications — Richard G. Allen, Masahiro Tasumi, Anthony Morse, Ricardo Trezza, James L. Wright, Wim Bastiaanssen, William Kramber, Ignacio Lorite, and Clarence W. Robison; 133 (4), 395-406 (2007).
Temesgen, Bekele
Comparing Net Radiation Estimation Methods: CIMIS versus Penman–Monteith — Bekele Temesgen, Simon Eching, and Kent Frame; 133 (3), 265-71 (2007).
Thompson, David B.
Variations of Time of Concentration Estimates Using NRCS Velocity Method — Xing Fang, David B. Thompson, Theodore G. Cleveland, and Pratistha Pradhan; 133 (4), 314-22 (2007).
Torres, P.
Experimental Assessment of the Sprinkler Application Rate for Steep Sloping Fields — F. E. Cisneros Espinosa, P. Torres, and J. Feyen; 133 (3), 276-8 (2007).
Trajkovic, Slavisa
Hargreaves versus Penman-Monteith under Humid Conditions — Slavisa Trajkovic; 133 (1), 38-42 (2007).
Tran, Vien D.
Estimating Daily Net Radiation over Vegetation Canopy through Remote Sensing and Climatic Data — Zohrab Samani, A. Salim Bawazir, Max Bleiweiss, Rhonda Skaggs, and Vien D. Tran; 133 (4), 291-7 (2007).
Traver, Robert G.
Temperature Effects on the Infiltration Rate through an Infiltration Basin BMP — Andrea Braga, Michael Horst, and Robert G. Traver; 133 (6), 593-601 (2007).
Trezza, Ricardo
Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Model — Richard G. Allen, Masahiro Tasumi, and Ricardo Trezza; 133 (4), 380-94 (2007).
Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications — Richard G. Allen, Masahiro Tasumi, Anthony Morse, Ricardo Trezza, James L. Wright, Wim Bastiaanssen, William Kramber, Ignacio Lorite, and Clarence W. Robison; 133 (4), 395-406 (2007).
Tsakiris, G.
Minimum Cost Irrigation Network Design Using Interactive Fuzzy Integer Programming — M. Spiliotis and G. Tsakiris; 133 (3), 242-8 (2007).
Unal, Halil B.
General Irrigation Planning Performance of Water User Associations in the Gediz Basin in Turkey — Erhan Akkuzu, Halil B. Unal, Bekir S. Karatas, Musa Avci, and Serafettin Asik; 133 (1), 17-26 (2007).

Valiantzas, John D.
Closure to "Modified Hazen–Williams and Darcy–Weisbach Equations for Friction and Local Head Losses along Irrigation Laterals" by John D. Valiantzas — John D. Valiantzas; 133 (4), 421 (2007).
van Wonderen, J.
Simulation of Processes Involved in Soil Salinization to Guide Soil Remediation — K. Guganesharajah, J. F. Pavey, J. van Wonderen, G. M. Khasankhanova, D. J. Lyons, and B. J. Lloyd; 133 (2), 131-9 (2007).
Vatankhah, A. R.
Discussion of "Exact Equations for Critical Depth in a Trapezoidal Canal" by Prabhata K. Swamee and Pushpa N. Rathie — A. R. Vatankhah and S. Kouchakzadeh; 133 (5), 508 (2007).
Vion, P.-Y.
Automatic Tuning of PI Controllers for an Irrigation Canal Pool — X. Litrico, P.-O. Malaterre, J.-P. Baume, P.-Y. Vion, and J. Ribot-Bruno; 133 (1), 27-37 (2007).
Vo, Diep
Multislit Weir Characteristics — A. S. Ramamurthy, Junying Qu, Chao Zhai, and Diep Vo; 133 (2), 198-200 (2007).
Wahl, Tony L.
Discussion of "Broad-Crested Weirs with Rectangular Compound Cross Sections" by M. Göğüş, Z. Defne, and V. Özkandemir — Tony L. Wahl, Albert J. Clemmens, John A. Replogle, and Marinus G. Bos; 133 (6), 616-8 (2007).
Wang, Butian
Quantifying Rainfall and Flooding Impacts on Groundwater Levels in Irrigation Areas: GIS Approach — Shahbaz Khan, Aftab Ahmad, and Butian Wang; 133 (4), 359-67 (2007).
Warrick, A. W.
Explicit Infiltration Function for Furrows — A. W. Warrick, N. Lazarovitch, A. Furman, and D. Zerihun; 133 (4), 307-13 (2007).
Wen, Tzai-Hung
Analysis of Spatial Scenarios Aiding Decision Making for Regional Irrigation Water-Demand Planning — Tzai-Hung Wen, Chun-Hung Lin, Ching-Tien Chen, and Ming-Daw Su; 133 (5), 455-67 (2007).
Wilson, Bruce N.
Hydrology and Nitrogen Components of a Simple Rye Growth Model — Gary W. Feyereisen, Gary R. Sands, Jeffrey S. Strock, Bruce N. Wilson, and Paul M. Porter; 133 (2), 90-9 (2007).
Wöhling, Th.
Physically Based Coupled Model for Simulating 1D Surface–2D Subsurface Flow and Plant Water Uptake in Irrigation Furrows. I: Model Development — Th. Wöhling and G. H. Schmitz; 133 (6), 538-47 (2007).
Physically Based Coupled Model for Simulating 1D Surface–2D Subsurface Flow and Plant Water Uptake in Irrigation Furrows. II: Model Test and Evaluation — Th. Wöhling and J. C. Mailhol; 133 (6), 548-58 (2007).
Wright, James L.
Satellite-Based Energy Balance for Mapping Evapotranspiration with Internalized Calibration (METRIC)—Applications — Richard G. Allen, Masahiro Tasumi, Anthony Morse, Ricardo Trezza, James L. Wright, Wim Bastiaanssen, William Kramber, Ignacio Lorite, and Clarence W. Robison; 133 (4), 395-406 (2007).
Yidana, Sandow Mark
Irrigation Water Resource Management for Sustainable Agriculture—The Ankobra Basin, Ghana — Sandow Mark Yidana, Duke Ophori, and Bruce Banoeng-Yakubo; 133 (6), 609-15 (2007).
Yıldırım, Gürol
Analytical Relationships for Designing Multiple Outlets Pipelines — Gürol Yıldırım; 133 (2), 140-54 (2007).
Yoo, Jong-Su
Development of Experimental Test Setup to Evaluate Abrasion Characteristics of Drainage Pipes — Yeol Choi, Ali Abolmaali, Jiwon Jung, and Jong-Su Yoo; 133 (3), 206-10 (2007).
Zaccaria, Daniele
Better Management of Renewable Resources Can Avert a World Crisis — George H. Hargreaves and Daniele Zaccaria; 133 (3), 201-5 (2007).
Zanetti, S. S.
Estimating Evapotranspiration Using Artificial Neural Network and Minimum Climatological Data — S. S. Zanetti, E. F. Sousa, V. P. S. Oliveira, F. T. Almeida, and S. Bernardo; 133 (2), 83-9 (2007).
Zerihun, D.
Explicit Infiltration Function for Furrows — A. W. Warrick, N. Lazarovitch, A. Furman, and D. Zerihun; 133 (4), 307-13 (2007).
Zhai, Chao
Multislit Weir Characteristics — A. S. Ramamurthy, Junying Qu, Chao Zhai, and Diep Vo; 133 (2), 198-200 (2007).